



ANTRACOL WP70 1X10KG BAG UA

Version 4 / EU
102000007039

1/9
Revision Date: 28.04.2016
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name ANTRACOL WP70 1X10KG BAG UA
Product code (UVP) 04479696

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4
H332 Harmful if inhaled.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Specific target organ toxicity - repeated exposure: Category 2
H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.

Chronic aquatic toxicity: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- Propineb

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU
1020000070392/9
Revision Date: 28.04.2016
Print Date: 14.11.2017**Signal word:** Warning**Hazard statements**

H332 Harmful if inhaled.
H317 May cause an allergic skin reaction.
H373 May cause damage to organs (Thyroid, Peripheral nervous system) through prolonged or repeated exposure if inhaled or swallowed.
H411 Toxic to aquatic life with long lasting effects.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P314 Get medical advice/ attention if you feel unwell.
P501 Dispose of contents/container as hazardous waste to an approved waste disposal plant.

2.3 Other hazards

Dust may form explosive mixture in air.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Wettable powder (WP)
Propineb 700g/kg**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Propineb	9016-72-2	Skin Sens. 1, H317 STOT RE 2, H373 Acute Tox. 4, H332 Aquatic Acute 1, H400	70
Methenamine	100-97-0 202-905-8	Flam. Sol. 2, H228 Skin Sens. 1, H317	0,7

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.



ANTRACOL WP70 1X10KG BAG UA

Version 4 / EU
102000007039

3/9
Revision Date: 28.04.2016
Print Date: 14.11.2017

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Symptoms reinforced by alcohol (Antabuse effect)
-----------------	--

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Follow-up measures: Strict abstinence from alcohol for 1 to 2 weeks, due to antabuse effect.
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
-----------------	--

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO _x), Sulphur oxides
--	---

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus.
--	--

Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU
1020000070394/9
Revision Date: 28.04.2016
Print Date: 14.11.2017**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition. Dust may form explosive mixture in air.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Propineb	9016-72-2	0,2 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU
1020000070395/9
Revision Date: 28.04.2016
Print Date: 14.11.2017

Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	powder
Colour	beige
Odour	weak, characteristic
pH	4,0 - 8,0 at 1 % (23 °C) (deionized water)
Melting point/range	ca. 135 °C
Flammability (solid, gas)	The product is not highly flammable.
Auto-ignition temperature	The product is not self-ignitable.
Dust explosion class	capable of causing a dust explosion (modified Hartmann tube, ignition with continuous spark generator)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Propineb: log Pow: < 3
Impact sensitivity	Not impact sensitive.
Burning number	CN3 Local combustion without spreading
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU
1020000070396/9
Revision Date: 28.04.2016
Print Date: 14.11.2017**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Acids**10.6 Hazardous decomposition products** Hydrogen sulfide
Carbon disulphide

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity** LD50 (Rat) 3.708 mg/kg**Acute inhalation toxicity** LC50 (Rat) ca. 5,040 mg/l
Determined in the form of a respirable fine dust.**Acute dermal toxicity** LD50 (Rat) > 5.000 mg/kg**Skin irritation** No skin irritation (Rabbit)**Eye irritation** No eye irritation (Rabbit)**Sensitisation** Sensitising (Guinea pig)
OECD Test Guideline 406, Magnusson & Kligman test**Assessment repeated dose toxicity**

Propineb caused specific target organ toxicity in experimental animal studies in the following organ(s): Peripheral nervous system, Thyroid. Propineb caused muscular weakness in animal studies. The observed effects do not appear to be relevant for humans.

Assessment mutagenicity

Propineb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Propineb caused an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Propineb caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Propineb is related to parental toxicity.

Assessment developmental toxicity

Propineb did not cause developmental toxicity in rabbits. Propineb caused developmental toxicity in rats only at dose levels toxic to the dams. The developmental effects seen with Propineb are related to maternal toxicity.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 6,7 mg/l
Exposure time: 96 h



ANTRACOL WP70 1X10KG BAG UA

Version 4 / EU
102000007039

7/9
Revision Date: 28.04.2016
Print Date: 14.11.2017

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 4,7 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient propineb.

Chronic toxicity to aquatic invertebrates NOEC (Daphnia (water flea)): 0,0175 mg/l
Exposure time: 21 d
Test conducted with a similar formulation.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) 2,4 mg/l
Exposure time: 96 h
Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Propineb:
rapidly biodegradable

Koc Propineb: Koc: 18

12.3 Bioaccumulative potential

Bioaccumulation Propineb:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Propineb: Mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Propineb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Waste key for the unused product 02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number

14.2 Proper shipping name

3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU
1020000070398/9
Revision Date: 28.04.2016
Print Date: 14.11.2017

	(PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PROPINEB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H228	Flammable solid.
H317	May cause an allergic skin reaction.

**ANTRACOL WP70 1X10KG BAG UA**Version 4 / EU
1020000070399/9
Revision Date: 28.04.2016
Print Date: 14.11.2017

H332 Harmful if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.