



Bayer CropScience LP  
800 N. Lindbergh Blvd.  
St. Louis, MO 63167  
1-866-99BAYER (1-866-992-2937)

## ADMIRE® PRO Systemic Protectant

For control of Black Vine Weevil in Cranberry

EPA Reg. No. 264-827

### FIFRA 2(ee) Recommendation

#### **FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OREGON**

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Cranberry - Soil		
Pest Suppression	Application Rate	Product Instructions
Black vine weevil ( <i>Otiorhynchus sulcatus</i> )	7.0 fl oz/acre	<p>Apply specified rate of ADMIRE PRO to moist soil in one of the following methods:</p> <ol style="list-style-type: none"><li>1. As a soil spray (ground application only) directed to the root and crown area using a minimum of 20 gallons of water per acre.</li><li>2. As a chemigation application with 600 to 1000 gallons of water</li></ol> <p>Immediately upon application, ADMIRE PRO SYSTEMIC PROTECTANT must be incorporated into root-zone by 0.1 - 0.3 inches water/Acre, either with the chemigation application or through irrigation/ rainfall if not applied through chemigation. Inadequate incorporation within 24 hours of application may result in reduced control.</p> <p>For best control of black vine weevil, application timing should target the larval stages and should be made only when crop is dormant (November 1 to March 1).</p>
<p><b>Restrictions:</b></p> <ul style="list-style-type: none"><li>• Pre-Harvest Interval (PHI): 30 days</li><li>• Maximum ADMIRE PRO SYSTEMIC PROTECTANT allowed per year: 14.0 fluid ounces/Acre (0.5 lb AI/Acre)</li><li>• Do not apply immediately pre-bloom or during bloom or when bees are foraging</li></ul> <p>NOTE: ADMIRE PRO has not been tested for crop response in tank mixes with other registered cranberry fungicides or insecticides. If tank mixing is desired, premix a sample of the ADMIRE PRO and the desired fungicide or insecticide partner at labeled rates and apply to a small area. Evaluate crop response within 48 hours and for at least two weeks prior to utilizing the tank mix on larger acreage. If crop injury results from the premix test, do not apply the tank mix to larger acreage. NOTE: Follow these and all other Use Directions and Precautions on the package label.</p>		

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.  
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions.  
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).