



BIOPOWER SL276,5 4X5L BOT UA

Version 9 / EU
102000013441

1/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name BIOPOWER SL276,5 4X5L BOT UA
Product code (UVP) 05815990

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Synergist

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin irritation: Category 2
H315 Causes skin irritation.

Eye irritation: Category 2
H319 Causes serious eye irritation.

Chronic aquatic toxicity: Category 3
H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Alkylethersulfate, sodium salt

**BIOPOWER SL276,5 4X5L BOT UA**Version 9 / EU
1020000134412/9
Revision Date: 05.08.2016
Print Date: 14.11.2017**Signal word:** Warning**Hazard statements**

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
EUH208 Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Soluble concentrate (SL)
Alkylethersulfate, sodium salt 276,5 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Alkylethersulfate, sodium salt	68891-38-3 500-234-8	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412	27
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Skin Irrit. 2, H315	> 0,005 – < 0,05

Further information

■ For the full text of the H-Statements mentioned in this Section, see Section 16.



BIOPOWER SL276,5 4X5L BOT UA

Version 9 / EU
102000013441

3/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Carbon monoxide (CO), Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.



BIOPOWER SL276,5 4X5L BOT UA

Version 9 / EU
102000013441

4/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Contain contaminated water and fire fighting water. Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation. For personal protection see section 8.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from freezing. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No control parameters known.

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**BIOPOWER SL276,5 4X5L BOT UA**Version 9 / EU
1020000134415/9
Revision Date: 05.08.2016
Print Date: 14.11.2017**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid, slightly turbid
Colour	colourless
Odour	slightly acidic
pH	4,0 - 7,0 at 100 % (23 °C)
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Density	ca. 1,03 g/cm ³ at 20 °C
Water solubility	miscible in all proportions
Partition coefficient: n-octanol/water	Alkylethersulfate, sodium salt: log Pow: 0,3

**BIOPOWER SL276,5 4X5L BOT UA**Version 9 / EU
1020000134416/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

Viscosity, dynamic	<= 300 mPa×s at 20 °C
Surface tension	25,4 mN/m at 25 °C
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity** ATE (Mix) > 2.000 mg/kg
Calculation method
Acute toxicity estimate**Acute inhalation toxicity** During intended and foreseen applications, no respirable aerosol is formed.**Acute dermal toxicity** ATE (Mix) > 2.000 mg/kg
Calculation method
Acute toxicity estimate**Skin irritation** Irritating to skin. (Rabbit)
Information refers to the main component.**Eye irritation** Irritating to eyes. (Rabbit)
Test conducted with a similar formulation.**Sensitisation** Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Magnusson & Kligman test
Information refers to the main component.**Assessment repeated dose toxicity**

Alkylethersulfate, sodium salt did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Alkylethersulfate, sodium salt was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**BIOPOWER SL276,5 4X5L BOT UA**Version 9 / EU
1020000134417/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

Assessment carcinogenicity

Alkylethersulfate, sodium salt was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Alkylethersulfate, sodium salt did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicityAlkylethersulfate, sodium salt did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish**LC50 (Danio rerio (Zebra fish)) 7,1 mg/l
Exposure time: 96 h
Information refers to the main component.**Toxicity to aquatic invertebrates**EC50 (Daphnia magna (Water flea)) 7,2 mg/l
Exposure time: 48 h
Information refers to the main component.**Toxicity to aquatic plants**NOEC (Desmodesmus subspicatus (green algae)) 0,93 mg/l
Exposure time: 72 h
Information refers to the main component.

EC50 (Desmodesmus subspicatus (green algae)) 27 mg/l
Exposure time: 72 h
Information refers to the main component.**12.2 Persistence and degradability****Biodegradability**Alkylethersulfate, sodium salt:
rapidly biodegradable**12.3 Bioaccumulative potential****Bioaccumulation**Alkylethersulfate, sodium salt:
Does not bioaccumulate.**12.4 Mobility in soil****Mobility in soil**

Alkylethersulfate, sodium salt: soluble in water

12.5 Results of PBT and vPvB assessment**PBT and vPvB assessment**

Alkylethersulfate, sodium salt: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects**Additional ecological information**No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**



BIOPOWER SL276,5 4X5L BOT UA

Version 9 / EU
102000013441

8/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

According to ADN/ADR/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

**BIOPOWER SL276,5 4X5L BOT UA**Version 9 / EU
1020000134419/9
Revision Date: 05.08.2016
Print Date: 14.11.2017

ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--