



CONFIDOR SL200 20X500ML BOT UA

Version 4 /
102000011108

1/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CONFIDOR SL200 20X500ML BOT UA
Product code (UVP) 06364284

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Imidacloprid



Signal word: Warning

**CONFIDOR SL200 20X500ML BOT UA**Version 4 /
1020000111082/10
Revision Date: 28.04.2017
Print Date: 14.11.2017**Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P501 Dispose of contents/container as hazardous waste to an approved waste disposal plant.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Soluble concentrate (SL)
Imidacloprid 200 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Imidacloprid	138261-41-3 428-040-8	Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	17,1
Propylene carbonate	108-32-7 203-572-1	Eye Irrit. 2, H319	> 10 – < 25
Dimethyl sulfoxide	67-68-5 200-664-3	Not classified	> 1

Further information

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)
--------------	-------------	------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



CONFIDOR SL200 20X500ML BOT UA

Version 4 /
102000011108

3/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur:, Abdominal pain, Nausea, Dizziness
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
-----------------	--

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO _x), Sulphur oxides
--	---

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
--	--

Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

**CONFIDOR SL200 20X500ML BOT UA**Version 4 /
102000011108

4/10

Revision Date: 28.04.2017

Print Date: 14.11.2017

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0,7 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection If product is handled while not enclosed, and if contact may occur: Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

**CONFIDOR SL200 20X500ML BOT UA**Version 4 /
1020000111085/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid, clear
Colour	yellow to light brown
Odour	aromatic
pH	6,0 - 8,0 at 1 % (23 °C) (deionized water)
Flash point	97 °C
Auto-ignition temperature	295 °C
Density	ca. 1,17 g/cm ³ at 20 °C 1,1495 g/cm ³ at 40 °C
Water solubility	completely soluble
Partition coefficient: n-octanol/water	Imidacloprid: log Pow: 0,57
Viscosity, dynamic	0,004 mPa.s at 40 °C
Surface tension	43 mN/m at 25 °C Determined in the undiluted form.

Oxidizing properties No oxidizing properties



CONFIDOR SL200 20X500ML BOT UA

Version 4 /
102000011108

6/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) ca. 2.500 mg/kg

Acute inhalation toxicity LC50 (Rat) > 5,02 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.
Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 4.000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation Slight irritant effect - does not require labelling. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

**CONFIDOR SL200 20X500ML BOT UA**Version 4 /
1020000111087/10
Revision Date: 28.04.2017
Print Date: 14.11.2017**Assessment toxicity to reproduction**

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 585 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 767 mg/l Exposure time: 48 h EC50 (Chironomus riparius (non-biting midge)) 0,0552 mg/l Exposure time: 24 h The value mentioned relates to the active ingredient imidacloprid.
Chronic toxicity to aquatic invertebrates	EC15 (Chironomus riparius (non-biting midge)): 0,0141 mg/l Exposure time: 28 d EC50 (Chironomus riparius (non-biting midge)): 0,0219 mg/l Exposure time: 28 d NOEC (Chironomus riparius (non-biting midge)): 0,0104 mg/l Exposure time: 28 d
Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.

12.2 Persistence and degradability

Biodegradability Imidacloprid:
Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

**CONFIDOR SL200 20X500ML BOT UA**Version 4 /
1020000111088/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects**Additional ecological information**

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)
14.3 Transport hazard class(es)	9



CONFIDOR SL200 20X500ML BOT UA

Version 4 /
102000011108

9/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

14.4 Packing group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level



CONFIDOR SL200 20X500ML BOT UA

Version 4 /
102000011108

10/10
Revision Date: 28.04.2017
Print Date: 14.11.2017

MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--