



BCS-CS55621+FLC SC 30+200 G

U-WW

Version 4 / EU
102000036137

1/13
Revision Date: 13.01.2023
Print Date: 20.04.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name BCS-CS55621+FLC SC 30+200 G U-WW
Product code (UVP) 86260719

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Telefax +49(0)2173-38-7394

Responsible Department Chemical Regulatory Affairs
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin sensitisation: Category 1B

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

**BCS-CS55621+FLC SC 30+200 G****U-WW****2/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023**Hazardous components which must be listed on the label:**

- Fluopicolide
- Fluoxapiprolin
- reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)
- 1,2-Benzisothiazol-3(2H)-one

**Signal word:** Warning**Hazard statements**

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Fluoxapiprolin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006**BCS-CS55621+FLC SC 30+200 G****U-WW****3/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

Fluoxapiprolin/Fluopicolide 30:200 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Fluopicolide	239110-15-7	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	17,70
Fluoxapiprolin	1360819-11-9	Aquatic Chronic 1, H410	2,65
Docusate sodium	577-11-7 209-406-4 01-2119491296-29-xxxx	Eye Dam. 1, H318 Skin Irrit. 2, H315	>= 1,0 – < 3,0
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 01-2120761540-60-xxxx	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	>= 0,005 – < 0,05
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.00015 – < 0.0015
Glycerine	56-81-5 200-289-5 01-2119471987-18-XXXX	Not classified	>= 1,0
Polyethylene-polypropylene copolymer	9003-11-6	Not classified	>= 1,0

Further information

Fluopicolide	239110-15-7	M-Factor: 10 (acute), 1 (chronic)
Fluoxapiprolin	1360819-11-9	M-Factor: 1 (chronic)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	SCL: Skin Sens. 1; H317: SCL >= 0,05 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	M-Factor: 100 (acute), 100 (chronic)
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-	55965-84-9	SCL: Skin Corr. 1C; H314: SCL >= 0,6 %

**BCS-CS55621+FLC SC 30+200 G****U-WW****4/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

methyl-2H-isothiazol-3-one (3:1)		
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0,06 - < 0,6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL >= 0,6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0,06 - < 0,6 %
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL >= 0,0015 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed**Symptoms** No symptoms known or expected.**4.3 Indication of any immediate medical attention and special treatment needed**

**BCS-CS55621+FLC SC 30+200 G****U-WW****5/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
-----------------	--

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire., Carbon monoxide (CO), Carbon dioxide (CO ₂)
--	--

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
--	--

Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
--------------------------------	---

Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling
-------------------------	--

**BCS-CS55621+FLC SC 30+200 G****U-WW****6/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage areas and containers**

Keep containers tightly closed in a cool, well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Suitable materials

HDPE (high density polyethylene)
Coex HDPE/EVOH/HDPE

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

No known occupational limit values.

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.

**BCS-CS55621+FLC SC 30+200 G****U-WW****7/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	suspension
Colour	white to beige
Odour	characteristic
Odour Threshold	No data available
Melting point/range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	Not relevant; aqueous solution
Auto-ignition temperature	No data available
Self-accelarating decomposition temperature (SADT)	No data available
pH	5,0 - 7,5 (100 %) (23 °C)
Viscosity, dynamic	350 - 600 mPa.s (20 °C) Velocity gradient 20 /s
Viscosity, kinematic	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	Fluopicolide: log Pow: 2,9(pH 7) Fluoxapiprolin: log Pow: 3,4 (25 °C) (pH 7)
Vapour pressure	No data available
Density	ca. 1,13 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms

**BCS-CS55621+FLC SC 30+200 G****U-WW****8/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023**Particle size** No data available**9.2 Other information****Explosivity** No data available**Oxidizing properties** No data available**Evaporation rate** No data available**Other physico-chemical properties** Further safety related physical-chemical data are not known.**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008****Acute oral toxicity** ATE (Mix) > 5.000 mg/kg
Calculation method**Acute inhalation toxicity** ATE (Mix) > 5 mg/l
Calculation method**Acute dermal toxicity** ATE (Mix) > 5.000 mg/kg
Calculation method**Skin corrosion/irritation** No skin irritation
Calculation method**Serious eye damage/eye irritation** Irritating to eyes.
Calculation method**Respiratory or skin sensitisation** Skin: Sensitising (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)**Assessment STOT Specific target organ toxicity – single exposure**



BCS-CS55621+FLC SC 30+200 G

U-WW

Version 4 / EU
102000036137

9/13
Revision Date: 13.01.2023
Print Date: 20.04.2023

Fluopicolide: Based on available data, the classification criteria are not met.
Fluoxapiprolin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Fluopicolide did not cause specific target organ toxicity in experimental animal studies.
Fluoxapiprolin did not cause any significant specific adverse effects or target organ toxicity in subchronic toxicity studies.

Assessment neurotoxicity

Fluoxapiprolin did not demonstrate the potential to cause neurotoxicity in standard toxicity studies using laboratory animals.

Assessment mutagenicity

Fluopicolide was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Fluoxapiprolin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fluopicolide caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.
Fluoxapiprolin is not considered carcinogenic.

Assessment toxicity to reproduction

Fluopicolide Developmental effects in rats and rabbits only occurred at high doses which caused maternal toxicity.

Fluoxapiprolin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Fluopicolide did not cause developmental toxicity in rats and rabbits.
Fluoxapiprolin did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No data is available on the product itself.
The information is derived from the properties of the individual components.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------------------	---

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

**BCS-CS55621+FLC SC 30+200 G****U-WW****10/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0,36 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient fluopicolide.

Toxicity to aquatic invertebrates LC50 (Daphnia magna (Water flea)) > 1,8 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient fluopicolide.

Toxicity to aquatic plants EC50 (Navicula pelliculosa (Freshwater diatom)) 0,069 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient fluopicolide.

12.2 Persistence and degradability

Biodegradability Fluopicolide:
Not rapidly biodegradable
Fluoxapiprolin: 0 %, Exposure time: 28 d
Not readily biodegradable.

Koc Fluopicolide: Koc: 321
Fluoxapiprolin: Koc: 6548

12.3 Bioaccumulative potential

Bioaccumulation Fluopicolide: Bioconcentration factor (BCF) 121
Does not bioaccumulate.
Fluoxapiprolin: Bioconcentration factor (BCF) 8,00 - 8,62
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Fluopicolide: Moderately mobile in soils
Fluoxapiprolin: Immobile in soil

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Fluoxapiprolin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No ecological testing was carried out on the product. Data are based on the properties of the individual components.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

**BCS-CS55621+FLC SC 30+200 G****U-WW****11/13**Version 4 / EU
102000036137Revision Date: 13.01.2023
Print Date: 20.04.2023

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

**BCS-CS55621+FLC SC 30+200 G****U-WW**Version 4 / EU
102000036137**12/13**Revision Date: 13.01.2023
Print Date: 20.04.2023**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships



BCS-CS55621+FLC SC 30+200 G

U-WW

13/13

Version 4 / EU
102000036137

Revision Date: 13.01.2023
Print Date: 20.04.2023

N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2020/878.
Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation.

The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--