



Ditch the Status Quo when it Comes to Weed Control

DiFlexx® herbicide is an outstanding combination of dicamba and a highly effective CSI™ Safener.

/// BENEFITS

- **Only Dicamba with Both Root and Foliar Safeners**
This means it is safer than generic dicamba and results in significantly less crop injury.
- **Can be Applied Anytime from Burndown to V10**
The root safener allows for little timing restrictions which means more a flexible application window compared to Status® herbicide..
- For all applications of this product, we strongly recommend the inclusion of a Drift Reduction Agent product in the tank mix.
- **Liquid Formulation**
Allows for easier and faster mixing compared to Status® herbicide.

Registered Crops

- Field Corn (Gran & Silage)

Key Pests

- | | |
|------------------|-------------------|
| • Pokeweed | • Palmer Amaranth |
| • Maretail | • Reedroot |
| • Morning Glory | • Lambsquarter |
| • Waterhemp | • Milkweed |
| • Hemp Dogbane | • Alfalfa* |
| • Canada Thistle | |

*Conventional & Roundup® Ready alfalfa

Formulation Information

- | | |
|--|-------------|
| • Diglycolamine Salt of Dicamba (4 lbs ae/gal) | CSI Safener |
|--|-------------|

Application Rate

6 to 12 fl oz/A

Application Timing

	Pre-Emergence	VE	V2	V4	V6	V8	V10
							
Status® Herbicide							

DiFlexx® Shows Strong Crop Safety

Photos taken from field trials in Somerset County, PA. July, 2024



Photo by Bayer FSR

Diflexx® herbicide at 8 oz/A application rate



Photo by Bayer FSR

Status® herbicide at 4 oz/A application rate



Photo by Bayer FSR

Generic Dicamba at 8 oz/A application rate

Excellent Control on Breakthrough Weeds

Photos taken from field trials in Bedford County, PA



Photo by Bayer FSR

Presence of breakthrough weeds in Bedford County, PA.



Photos by Bayer FSR

Photos of weeds at 4 days post application. Diflexx® applied at 8 oz rate.

**For more information on herbicide group numbers and site-of-action options, visit IWillTakeAction.com*

IMPORTANT: This bulletin is not intended to provide adequate information for use of these products. Read the label before using these products. Observe all label directions and precautions while using these products.



LEARN MORE

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Performance may vary, from location to location and from year to year, as local growing, soil and environmental conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on their growing environment. The recommendations in this material are based upon trial observations and feedback received from a limited number of growers and growing environments. These recommendations should be considered as one reference point and should not be substituted for the professional opinion of agronomists, entomologists or other relevant experts evaluating specific conditions. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Bayer, Bayer Cross and DiFlexx® are registered trademarks of Bayer Group. All other trademarks are the property of their respective owners. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LLC, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2026 Bayer Group. All rights reserved.

