

1/11

HARNESS EXTRA EC960

Version 2 / ZA

102000039812

Revision Date: 06.04.2023

Print Date: 06.04.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name HARNESS EXTRA EC960

Product code (UVP) 62293150

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

1.3 Details of the supplier of the safety data sheet

Supplier Bayer (Pty) Ltd.

27 Wrench Road, P.O. Box 143

1600 Isando South Africa

Telephone +27 (011) 921 5911 **Telefax** +27 (011) 921 5766

Responsible Department QHSE - Nigel, South Africa

+27 (011) 365 8675 (during business hours only)

1.4 Emergency telephone no.

Emergency telephone no. +27 (0861) 555 777 (Western Cape Poisons Helpline)

Global Incident Response

Hotline (24h)

+1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H332 Harmful if inhaled.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.

Acute aquatic toxicity: Category 1



2/11

HARNESS EXTRA EC960

Version 2 / ZA
102000039812

Revision Date: 06.04.2023
Print Date: 06.04.2023

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Acetochlor



H332





Harmful if inhaled.

Signal word: Warning

Hazard statements

00_	riamman in minatean
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ eye protection/ face protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P310	Immediately call a POISON CENTER/doctor/ physician.
P391	Collect spillage.
P260 P280 P308 + P311 P310 P391 P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

Acetochlor: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.



3/11

HARNESS EXTRA EC960

Version 2 / ZA Revision Date: 06.04.2023 102000039812 Print Date: 06.04.2023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC) Acetochlor 86%

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Acetochlor	34256-82-1		86,5
Calcium dodecylbenzenesulphonat e	26264-06-2 01-2119560592-37-XXXX	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	>1-<3
2-Ethylhexanol	104-76-7 01-2119487289-20-xxxx	Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	>1-<3

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Immediately wash with plenty of soap and water for at least 15 minutes.

Take off contaminated clothing and shoes immediately. Call a physician

or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction.



4/11

HARNESS EXTRA EC960

Version 2/ZA Revision Date: 06.04.2023 102000039812 Print Date: 06.04.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCI)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of

fire, wear self-contained breathing apparatus.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from fire

fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Use personal protective equipment. Keep unauthorized people away.

Avoid contact with spilled product or contaminated surfaces.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

> universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before



5/11

HARNESS EXTRA EC960

Version 2/ZA Revision Date: 06.04.2023 102000039812 Print Date: 06.04.2023

> eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No known occupational limit values.

8.2 Exposure controls

Respiratory protection

If product is handled while not enclosed, and if contact may occur: Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed.

Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mmProtective index Class 6

Protective gloves complying with EN Directive

374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly



6/11

HARNESS EXTRA EC960

Version 2 / ZA Revision Date: 06.04.2023 102000039812 Print Date: 06.04.2023

contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Liquid

Colouramber to brownOdourcharacteristicOdour ThresholdNo data available

pH 5,3 (10 g/l)

No data available

Melting point/range No data available

Boiling Point

No data available

Flash point > 85 °C

Flammability Not applicable

Auto-ignition temperature 445 °C

Thermal decomposition No data available

Minimum ignition energy Not applicable

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limitNot applicableLower explosion limitNot applicable

Vapour pressure

Evaporation rate

Relative vapour density

No significant volatility.

No data available

No data available

ca. 1,11 (20 °C)

Water at 4 °C

Density 1,11 g/cm³ (20 °C)

Water solubility completely soluble

Partition coefficient:

n-octanol/water

Acetochlor: log Pow: 4,14 (20 °C)

Viscosity, dynamic

Viscosity, kinematic

Oxidizing properties

Explosivity

No data available

No data available

No data available



7/11

HARNESS EXTRA EC960

Version 2 / ZA

102000039812

Revision Date: 06.04.2023
Print Date: 06.04.2023

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials No incompatible materials known.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2.676 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 > 2,1 mg/l

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2.000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye Irritating to eyes. (Rabbit)

irritation Test conducted with a similar formulation.

Respiratory or skin Skin: Sensitising (Guinea pig)

sensitisation Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Acetochlor: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity - repeated exposure

Acetochlor caused specific target organ toxicity in experimental animal studies in the following organ(s): Kidney.

Assessment mutagenicity

Acetochlor was not genotoxic based on weight of evidence analysis.

Assessment carcinogenicity

Acetochlor caused an increased incidence of tumours in rats in the following organ(s): Nasal, Thyroid.



8/11

HARNESS EXTRA EC960

Version 2 / ZA Revision Date: 06.04.2023 102000039812 Print Date: 06.04.2023

Mode(s) of action not relevant to humans.

Acetochlor caused an increased incidence of tumours in rats, mice in the following organ(s): Liver. Only above the MTD (maximum tolerated dose). The observed effects do not appear to be relevant for humans. Acetochlor caused lung tumours and histocytic sarcomas in mice, probably not treatment related.

Assessment toxicity to reproduction

Reproductive effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity.

Assessment developmental toxicity

Developmental effects in rats seen with Acetochlor are only in the presence of significant maternal toxicity. Acetochlor did not cause developmental toxicity in rabbits. Testicular damage in dogs only in the presence of substantial systemic toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) 1,3 mg/l

static test; Exposure time: 96 h

The value mentioned relates to the active ingredient acetochlor. LC50 (Oncorhynchus mykiss (rainbow trout)) 0,36 - 1,2 mg/l

static test; Exposure time: 96 h

The value mentioned relates to the active ingredient acetochlor.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 8,6 - 16 mg/l static test; Exposure

time: 48 h

NOEC (Daphnia magna (Water flea)) 42,7 µg/l flow-through test;

Exposure time: 21 d

Toxicity to aquatic plants ErC50 (Raphidocelis subcapitata (freshwater green alga)) 0,52 - 2,60

μg/l

Growth rate; Exposure time: 72 h

Toxicity to other organisms LD50 (Apis mellifera (bees)) > 200 mcg/bee (contact)

Exposure time: 48 h

The value mentioned relates to the active ingredient acetochlor.

LD50 (Apis mellifera (bees)) > 100 mcg/bee (oral)

Exposure time: 48 h

The value mentioned relates to the active ingredient acetochlor.

12.2 Persistence and degradability



9/11

HARNESS EXTRA EC960

Version 2 / ZA

102000039812

Revision Date: 06.04.2023

Print Date: 06.04.2023

Biodegradability Acetochlor:

Not rapidly biodegradable

Koc Acetochlor: Koc: 204

12.3 Bioaccumulative potential

Bioaccumulation Acetochlor: Bioconcentration factor (BCF) 20

12.4 Mobility in soil

Mobility in soil Acetochlor: Moderately persistent

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Acetochlor: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous

waste.

SECTION 14: TRANSPORT INFORMATION

SANS 10231

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ACETOCHLOR SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

IMDG

14.1 UN number 308

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ACETOCHLOR SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES



10/11

HARNESS EXTRA EC960

Version 2 / ZA

102000039812

Revision Date: 06.04.2023

Print Date: 06.04.2023

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ACETOCHLOR SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Hoose Management and the control of the control of

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ICx

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods



11/11

HARNESS EXTRA EC960

Version 2 / ZA Revision Date: 06.04.2023 102000039812 Print Date: 06.04.2023

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 2: Hazards

Identification. Section 11: Toxicological Information. Safety Data Sheet

according to Regulation (EU) No. 2020/878.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.