SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR HARNESS® MAX HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using Harness® MAX Herbicide as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.



Harness® MAX Herbicide

| ACETOCHLOR | GROUP* | 15 | HERBICIDE |
|------------|---------|----|-----------|
| MESOTRIONE | GROUP** | 27 | HERBICIDE |

EPA Reg. No. 524-636

This supplemental label expires 12/31/2024 and must not be used or distributed after this date

Harness [®] MAX Herbicide is a broad-spectrum preemergence and postemergence herbicide for weed control in field corn, production seed corn, and yellow popcorn.

Keep out of reach of children

CAUTION!

In case of an emergency involving this product, call collect, day or night, 1-800-334-7577.

Harness is a registered trademark of Bayer CropScience LP

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standard, on the main booklet label for this product.

This supplemental label must be in the possession of the user at the time of herbicide application. Use of Harness Max Herbicide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Harness MAX Herbicide. Read the label affixes to the container for Harness MAX Herbicide before applying.

USE INSTRUCTIONS:

ROTATIONAL CROPS:

Do not rotate to food or feed crops other than those listed below after application of Harness® MAX Herbicide at labeled rates.

Crop Rotational Intervals:

| Crop | Rotational Interval ¹ | |
|---|----------------------------------|--|
| Field corn, seed corn, silage corn, yellow | Immediately | |
| popcorn, or grain sorghum (milo) ² | | |
| Wheat | 4 months | |
| Alfalfa, peanuts, soybean, cotton | 10 months | |
| Barley, rye, oats, millet, rice, sunflower | The spring following application | |
| Cucurbits, dry beans, peas, sugar beets and | 18 months | |
| all other rotational crops | | |

¹ Time between Harness® MAX Herbicide application and replanting of the rotational crop

Following harvest of crops treated with Harness® MAX Herbicide, winter cover crops may be planted but not used for food or animal feed for a minimum of 18 months following the last application of this product. Injury to cover crops may occur. This prohibition does not apply to wheat which may be planted 4 months following the last application of this product.

Read the "Limit of Warranty and Liability" in the label booklet for Harness® MAX Herbicide before using. These terms apply to this supplemental label and if these terms are not acceptable, return the product unopened at once.



BAYER CROPSCIENCE LP 800 N. LINDBERGH BLVD. ST. LOUIS, MISSOURI 63167 USA

Harness® MAX Herbicide (Supplemental) 11/04/2022

² Plant only grain sorghum (milo) seed properly treated with seed protectant or safener