



## **INFINITO SC687,5**

Version 5 / ZA  
102000027553

1/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** INFINITO SC687,5  
**Product code (UVP)** 80870612

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Fungicide

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer (Pty) Ltd.  
1st Floor, Waterfall Circle  
9 Country Estate Drive  
Waterfall City  
2090 Midrand, Johannesburg  
South Africa

**Telephone** +27 (011) 921 5911

**Telefax** +27 (011) 921 5766

**Responsible Department** QHSE - Nigel, South Africa  
+27 (011) 365 8675 (during business hours only)

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response Hotline (24h)** +1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Reproductive toxicity: Category 2  
H361d Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard: Category 1  
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 2  
H411 Toxic to aquatic life with long lasting effects.

#### **2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.



## INFINITO SC687,5

Version 5 / ZA  
102000027553

2/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

### Hazardous components which must be listed on the label:

- Propamocarb hydrochloride
- Fluopicolide



**Signal word:** Warning

### Hazard statements

H317 May cause an allergic skin reaction.  
H361d Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P201 Obtain special instructions before use.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
P391 Collect spillage.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Propamocarb hydrochloride: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Suspension concentrate (=flowable concentrate)(SC)  
Propamocarb hydrochloride/Fluopicolide 625:62,5 g/l

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
------	-----------	----------------	-----------



**INFINITO SC687,5**

Version 5 / ZA  
102000027553

3/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Propamocarb hydrochloride	25606-41-1	Skin Sens. 1, H317	55,3
Fluopicolide	239110-15-7	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	5,53

**Further information**

Fluopicolide	239110-15-7	M-Factor: 10 (acute), 1 (chronic)
--------------	-------------	-----------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur: lethargy, ataxia, Convulsions  Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	--

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	This product, although being a carbamate, is NOT a cholinesterase inhibitor.
<b>Treatment</b>	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote. Contraindication: atropine.



## **INFINITO SC687,5**

Version 5 / ZA  
102000027553

4/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

---

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

<b>5.2 Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NO <sub>x</sub> )
--	---

#### **5.3 Advice for firefighters**

<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

<b>Precautions</b>	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

#### **6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

---

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### **7.2 Conditions for safe storage, including any incompatibilities**



## INFINITO SC687,5

Version 5 / ZA  
102000027553

5/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

<b>Requirements for storage areas and containers</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	HDPE (high density polyethylene)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Propamocarb hydrochloride	25606-41-1	1,1 mg/m <sup>3</sup> (TWA)		OES BCS*
Fluopicolide	239110-15-7	2,2 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.



## INFINITO SC687,5

Version 5 / ZA  
102000027553

6/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

**General protective measures** If product is handled while not enclosed, and if contact may occur:  
Complete suit protecting against chemicals

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

<b>Form</b>	suspension
<b>Colour</b>	beige
<b>Odour</b>	ester-like
<b>Odour Threshold</b>	No data available
<b>pH</b>	5,0 - 8,5 (100 %) (23 °C)
<b>Melting point/ range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	Not relevant; aqueous solution
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	420 °C
<b>Thermal decomposition</b>	No data available
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	1,130 (20 °C)
<b>Density</b>	ca. 1,13 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	dispersible
<b>Partition coefficient: n-octanol/water</b>	Propamocarb hydrochloride: log Pow: -1,2 Fluopicolide: log Pow: 2,9(pH 7)
<b>Viscosity, dynamic</b>	260 - 700 mPa.s (20 °C) Velocity gradient 20 /s
<b>Viscosity, kinematic</b>	No data available
<b>Surface tension</b>	31 mN/m (20 °C)
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive



## INFINITO SC687,5

Version 5 / ZA  
102000027553

7/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

92/69/EEC, A.14 / OECD 113

### 9.2 Other information

Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

<b>Acute oral toxicity</b>	LD50 (Rat) > 2.500 mg/kg Test conducted with a similar formulation.
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 3,195 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol. No deaths Test conducted with a similar formulation.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 4.000 mg/kg Test conducted with a similar formulation.
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit) Test conducted with a similar formulation.
<b>Serious eye damage/eye irritation</b>	No eye irritation (Rabbit) Test conducted with a similar formulation.
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation.

### Assessment STOT Specific target organ toxicity – single exposure

Propamocarb hydrochloride: Based on available data, the classification criteria are not met.  
Fluopicolide: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Propamocarb hydrochloride did not cause specific target organ toxicity in experimental animal studies.



## INFINITO SC687,5

Version 5 / ZA  
102000027553

8/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

Fluopicolide did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Propamocarb hydrochloride was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Fluopicolide was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Propamocarb hydrochloride was not carcinogenic in lifetime feeding studies in rats and mice. Fluopicolide caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

### Assessment toxicity to reproduction

Propamocarb hydrochloride did not cause reproductive toxicity in a two-generation study in rats. Fluopicolide Developmental effects in rats and rabbits only occurred at high doses which caused maternal toxicity.

### Assessment developmental toxicity

Propamocarb hydrochloride caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Propamocarb hydrochloride are related to maternal toxicity. Fluopicolide did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

### Endocrine disrupting properties

<b>Assessment</b>	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------------------	---

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 6,6 mg/l Exposure time: 96 h Test conducted with a similar formulation.
<b>Chronic toxicity to fish</b>	Pimephales promelas (fathead minnow) Early-life Stage NOEC: 0,155 mg/l Exposure time: 33 d The value mentioned relates to the active ingredient fluopicolide.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) > 100 mg/l Exposure time: 48 h Test conducted with a similar formulation.
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia magna (Water flea)): 0,19 mg/l Exposure time: 21 d





## INFINITO SC687,5

Version 5 / ZA  
102000027553

9/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

The value mentioned relates to the active ingredient fluopicolide.

EC10 (Mysids (*Americamysis bahia*)): 0,18 mg/l  
Life Cycle; The value mentioned relates to the active ingredient fluopicolide.

**Toxicity to aquatic plants** EC50 (*Navicula pelliculosa* (Freshwater diatom)) 0,89 mg/l  
Growth rate; Exposure time: 72 h  
Test conducted with a similar formulation.

### 12.2 Persistence and degradability

**Biodegradability** Propamocarb hydrochloride:  
rapidly biodegradable  
Fluopicolide:  
Not rapidly biodegradable

**Koc** Propamocarb hydrochloride: Koc: 719  
Fluopicolide: Koc: 321

### 12.3 Bioaccumulative potential

**Bioaccumulation** Propamocarb hydrochloride:  
Does not bioaccumulate.  
Fluopicolide: Bioconcentration factor (BCF) 121  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Propamocarb hydrochloride: mobile in soil  
Fluopicolide: mobile in soil

### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Propamocarb hydrochloride: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Fluopicolide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.



**INFINITO SC687,5**

Version 5 / ZA  
102000027553

10/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

**Contaminated packaging**

Triple rinse containers.  
Do not re-use empty containers.  
Not completely emptied packagings should be disposed of as hazardous waste.

---

**SECTION 14: TRANSPORT INFORMATION**

**SANS 10231**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOPICOLIDE SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to IMO instruments**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: III (Slightly hazardous)

---

**SECTION 16: OTHER INFORMATION**

**Text of the hazard statements mentioned in Section 3**



## INFINITO SC687,5

Version 5 / ZA  
102000027553

11/11

Revision Date: 30.07.2025  
Print Date: 30.07.2025

H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--