



LAUDIS WG30 4X3KG BOT UA

Version 5 /
102000017774

1/11
Revision Date: 22.05.2017
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name LAUDIS WG30 4X3KG BOT UA
Product code (UVP) 79475837

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

Specific target organ toxicity - repeated exposure: Category 2
H373 May cause damage to organs (Eyes, Kidney, Liver) through prolonged or repeated exposure.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Tembotrione
- Isoxadifen-ethyl

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
1020000177742/11
Revision Date: 22.05.2017
Print Date: 14.11.2017**Signal word:** Warning**Hazard statements**

- H361d Suspected of damaging the unborn child.
 H373 May cause damage to organs (Eyes, Kidney, Liver) through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
 EUH208 Contains Tembotrione, Isoxadifen-ethyl. May produce an allergic reaction.

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Water dispersible granules (WG)
 Tembotrione/Isoxadifen-ethyl 20:10%

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Tembotrione	335104-84-2	Aquatic Chronic 1, H410 Skin Sens. 1, H317 Aquatic Acute 1, H400 Repr. 2, H361d STOT RE 2, H373	20,0
Isoxadifen-ethyl	163520-33-0 443-870-0	Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	10,00
Sodium methylene polymethylnaphthyl sulphonate	81065-51-2	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 3,0 – < 10,0
Sodium alkylnaphthalene sulfonate	272-717-9	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 1,0 – < 5,0

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
102000017774

3/11

Revision Date: 22.05.2017

Print Date: 14.11.2017

Kaolin	1332-58-7 310-194-1	Not classified	> 1,00
--------	------------------------	----------------	--------

Further information

Tembotrione	335104-84-2	M-Factor: 100 (acute), 10 (chronic)
Isoxadifen-ethyl	163520-33-0	M-Factor: 1 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. When symptoms develop and persist, seek medical advice.
Inhalation	Move to fresh air. Call a physician or poison control center immediately.
Skin contact	Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet



LAUDIS WG30 4X3KG BOT UA

Version 5 /
102000017774

4/11
Revision Date: 22.05.2017
Print Date: 14.11.2017

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Use personal protective equipment. Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.
--------------------	--

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Use approved industrial vacuum cleaner for removal. Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.
--------------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.
Hygiene measures	Avoid contact with skin, eyes and clothing. Remove soiled clothing immediately and clean thoroughly before using again. Wash hands immediately after work, if necessary take a shower. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
102000017774

5/11

Revision Date: 22.05.2017

Print Date: 14.11.2017

Requirements for storage areas and containers	Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	LDPE (low density polyethylene) Polypropylene-foil (PP)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Tembotrione	335104-84-2	0,15 mg/m ³ (SK-SEN)		OES BCS*
Isoxadifen-ethyl	163520-33-0	1 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.
If there is a risk of significant exposure, consider a higher protective

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
102000017774

6/11

Revision Date: 22.05.2017

Print Date: 14.11.2017

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	water-dispersible granules
Colour	light brown
Odour	weak, characteristic
pH	3,0 - 5,0 at 1 % (23 °C) (deionized water)
Flammability (solid, gas)	The product is not highly flammable.
Ignition temperature	351 °C
Minimum ignition energy	> 1.000 mJ
Dust explosion Kst number	60 barm/s
Dust explosion class	St1 (weak to moderately explosible)
Bulk density	0,583 - 0,684 g/ml (loose)
Partition coefficient: n-octanol/water	Tembotrione: log Pow: -1,09 Isoxadifen-ethyl: log Pow: 3,8
Burning number	CN2 Short flaring without spreading
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition	Stable under normal conditions. > 500 °C, Heating rate: 5 K/min No decomposition up to the given temperature.
------------------------------	---

Self heating	not self-heating
---------------------	------------------

10.2 Chemical stability	Stable under recommended storage conditions.
--------------------------------	--

10.3 Possibility of hazardous reactions	No hazardous reactions known. Stable under recommended storage conditions.
--	--



LAUDIS WG30 4X3KG BOT UA

Version 5 /
102000017774

7/11
Revision Date: 22.05.2017
Print Date: 14.11.2017

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

- Acute oral toxicity** LD50 (Rat) $\geq$ 5.000 mg/kg
- Acute inhalation toxicity** LC50 (Rat) > 1,879 mg/l
Exposure time: 4 h
Highest attainable concentration.
- Acute dermal toxicity** LD50 (Rat) > 2.000 mg/kg
- Skin irritation** No skin irritation (Rabbit)
- Eye irritation** No eye irritation (Rabbit)
- Sensitisation** Non-sensitizing. (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Tembotrione: Based on available data, the classification criteria are not met.

Isoxadifen-ethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Tembotrione caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney, Liver.

Isoxadifen-ethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tembotrione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Isoxadifen-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tembotrione caused an increased incidence of tumours in rats in the following organ(s): Cornea. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Isoxadifen-ethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Tembotrione did not cause reproductive toxicity in a two-generation study in rats.

Isoxadifen-ethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Tembotrione caused developmental toxicity only at dose levels toxic to the dams. Tembotrione caused a delayed ossification of foetuses, an increased incidence of variations. The developmental effects seen with Tembotrione are related to maternal toxicity.

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
102000017774**8/11**Revision Date: 22.05.2017
Print Date: 14.11.2017

Isoxadifen-ethyl did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 25,53 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 120,8 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 19,8 mg/l Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) 0,0219 mg/l

12.2 Persistence and degradability

Biodegradability	Tembotrione: Not rapidly biodegradable Isoxadifen-ethyl: Not rapidly biodegradable
Koc	Tembotrione: Koc: 66 Isoxadifen-ethyl: Koc: 2512

12.3 Bioaccumulative potential

Bioaccumulation	Tembotrione: Does not bioaccumulate. Isoxadifen-ethyl: Does not bioaccumulate.
------------------------	---

12.4 Mobility in soil

Mobility in soil	Tembotrione: Mobile in soils Isoxadifen-ethyl: Slightly mobile in soils
-------------------------	--

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Tembotrione: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Isoxadifen-ethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	---

12.6 Other adverse effects

Additional ecological information	No other effects to be mentioned.
--	-----------------------------------

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
1020000177749/11
Revision Date: 22.05.2017
Print Date: 14.11.2017**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Triple rinse containers. Do not use containers for other products. Not completely emptied packagings should be disposed of as hazardous waste.
Waste key for the unused product	02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEMBOTRIONE MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEMBOTRIONE MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEMBOTRIONE MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.



LAUDIS WG30 4X3KG BOT UA

Version 5 /
102000017774

10/11

Revision Date: 22.05.2017
Print Date: 14.11.2017

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships

**LAUDIS WG30 4X3KG BOT UA**Version 5 /
102000017774**11/11**Revision Date: 22.05.2017
Print Date: 14.11.2017

N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision:	Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological information on STOT (Specific Target Organ Toxicity) and CMR (Carcinogenic, Mutagenic and toxic to Reproduction).
-----------------------------	---

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--