



Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

Leverage® 360 Insecticide

For the Suppression of Soybean Stem Borer
(Dectes Stem Borer) Adults on Soybean

EPA Reg. No. 264-1104

FIFRA 2(ee) Recommendation

RESTRICTED USE PESTICIDE

Due to Toxicity to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF NEBRASKA

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

SOYBEAN		
PEST SUPPRESSED	Product Rate fluid ounces/Acre	Method
Adults of Soybean Stem Borer (Dectes Stem Borer)	2.8	Apply as a foliar spray, using sufficient carrier volume for complete coverage of stems and foliage. Applications should only target the adult life stage upon overwintering emergence from stems; applications made after this time or targeting larval or pupal life stages within the soybean stem will not provide any activity.
RESTRICTIONS Pre-Harvest Interval (PHI) for seed: 21 days . Dry vines (hay) and green forage may be fed 15 days after last application Minimum interval between applications: 7 days Maximum LEVERAGE 360 Insecticide allowed per year: 9.0 fluid ounces/Acre (0.07 lb AI/A β -cyfluthrin, 0.14 lb AI/A imidacloprid) Maximum β -cyfluthrin allowed in all forms per crop season: 0.088 lb AI/A Maximum cyfluthrin allowed in all forms per crop season: 0.175 lb AI/A Maximum β -cyfluthrin plus cyfluthrin allowed in all forms per crop season: 0.175 lb AI/A ADDITIONAL USE DIRECTIONS LEVERAGE 360 Insecticide is to be applied through properly calibrated ground, aerial or chemigation application equipment.		

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).