



MOVENTO SC100 12X1L BOT UA

Version 4 / EU
102000016538

1/10
Revision Date: 14.04.2016
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MOVENTO SC100 12X1L BOT UA
Product code (UVP) 79036744

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Chronic aquatic toxicity: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Spirotetramat

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
1020000165382/10
Revision Date: 14.04.2016
Print Date: 14.11.2017**Signal word:** Warning**Hazard statements**

H317 May cause an allergic skin reaction.
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
 H411 Toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)
 Spirotetramat 100 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Spirotetramat	203313-25-1	Repr. 2, H361fd STOT SE 3, H335 Skin Sens. 1A, H317 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9,3
Alkylarylpolyglycol ether	104376-75-2	Aquatic Chronic 3, H412	> 1 – < 25
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Sens. 1, H317 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,0002 – < 0,0015
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	> 0,005 – < 0,05

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
102000016538

3/10

Revision Date: 14.04.2016

Print Date: 14.11.2017

		Skin Sens. 1, H317 Aquatic Acute 1, H400	
Glycerine	56-81-5 200-289-5	Not classified	> 1

Further information

Spirotetramat	203313-25-1	M-Factor: 1 (acute), 1 (chronic)
---------------	-------------	----------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No symptoms known or expected.
-----------------	--------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
-----------------	--



MOVENTO SC100 12X1L BOT UA

Version 4 / EU
102000016538

4/10

Revision Date: 14.04.2016
Print Date: 14.11.2017

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. For personal protection see section 8.
Advice on protection against fire and explosion	No special precautions required.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.
--	---

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
1020000165385/10
Revision Date: 14.04.2016
Print Date: 14.11.2017**Advice on common storage** Keep away from food, drink and animal feedingstuffs.**Suitable materials** HDPE (high density polyethylene)**7.3 Specific end use(s)** Refer to the label and/or leaflet.**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Spirotetramat	203313-25-1	2,8 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber

Rate of permeability > 480 min

Glove thickness > 0,4 mm

Protective index Class 6

Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
102000016538

6/10

Revision Date: 14.04.2016

Print Date: 14.11.2017

General protective measures If product is handled while not enclosed, and if contact may occur:
Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	suspension
Colour	white to light beige
Odour	characteristic
pH	4,0 - 5,0 at 100 % (23 °C)
Flash point	>100 °C No flash point - Determination conducted up to the boiling point.
Ignition temperature	430 °C
Density	ca. 1,08 g/cm ³ at 20 °C
Water solubility	suspensive
Partition coefficient: n-octanol/water	Spirotetramat: log Pow: 2,5 at pH 7
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
1020000165387/10
Revision Date: 14.04.2016
Print Date: 14.11.2017

Acute oral toxicity	LD50 (Rat) > 2.000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2,8 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2.000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment repeated dose toxicity

Spirotetramat did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Spirotetramat was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Spirotetramat was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Spirotetramat caused male reproductive toxicity in the presence of general toxicity in the rat at very high experimental dose levels. There were no effects on male fertility in mice and dogs. The reproductive toxicity seen with Spirotetramat is due to an overwhelmed elimination capacity at high doses. The high dose levels needed for this effect cannot be achieved even in a worst case exposure scenario.

Assessment developmental toxicity

Spirotetramat caused developmental toxicity only at dose levels toxic to the dams. Spirotetramat caused a delayed foetal growth, an increased incidence of variations.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 22,3 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 42,7 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient. NOEC (Chironomus riparius (non-biting midge)) 0,1 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient. EC50 (Chironomus riparius (non-biting midge)) 0,46 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 213,6 mg/l

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
1020000165388/10
Revision Date: 14.04.2016
Print Date: 14.11.2017

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability**Biodegradability** Spirotetramat:
Not rapidly biodegradable**Koc** Spirotetramat: Koc: 289**12.3 Bioaccumulative potential****Bioaccumulation** Spirotetramat:
Does not bioaccumulate.**12.4 Mobility in soil****Mobility in soil** Spirotetramat: Moderately mobile in soils**12.5 Results of PBT and vPvB assessment****PBT and vPvB assessment** Spirotetramat: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).**12.6 Other adverse effects****Additional ecological information** No other effects to be mentioned.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.**Waste key for the unused product** 02 01 08* agrochemical waste containing dangerous substances**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
1020000165389/10
Revision Date: 14.04.2016
Print Date: 14.11.2017**IMDG**

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROTETRAMAT SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.

**MOVENTO SC100 12X1L BOT UA**Version 4 / EU
102000016538**10/10**
Revision Date: 14.04.2016
Print Date: 14.11.2017

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.