



MERLIN WG75 12X500GR BOT UA

Version 7 / EU
102000001698

1/10
Revision Date: 24.03.2016
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MERLIN WG75 12X500GR BOT UA
Product code (UVP) 05923271

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Isoxaflutole

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
1020000016982/10
Revision Date: 24.03.2016
Print Date: 14.11.2017**Signal word:** Warning**Hazard statements**

H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Water dispersible granules (WG)
Isoxaflutole 750g/kg**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Isoxaflutole	141112-29-0	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	75,00
Sodium diisopropylnaphthalene sulphonate	1322-93-6 215-343-3	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Dam. 1, H318 STOT SE 3, H335	> 1,00 – < 20,00

Further information

Isoxaflutole	141112-29-0	M-Factor: 10 (acute), 100 (chronic)
--------------	-------------	-------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.



MERLIN WG75 12X500GR BOT UA

Version 7 / EU
102000001698

3/10
Revision Date: 24.03.2016
Print Date: 14.11.2017

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Keep at rest. Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, To date no symptoms are known. Systemic:, To date no symptoms are known.
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Local treatment: Initial treatment: symptomatic. Systemic treatment: Initial treatment: symptomatic. Carefully monitor the liver functions. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
--	---

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
--	--

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
102000001698

4/10

Revision Date: 24.03.2016

Print Date: 14.11.2017

Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.
----------------------------	---

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Precautions	Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.
--------------------------------	--

Additional advice	Check also for any local site procedures.
--------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling	Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.
--------------------------------	---

Advice on protection against fire and explosion	Dust may form explosive mixture in air. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge.
--	---

Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
-------------------------	--

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
--	---

Advice on common storage	Keep away from food, drink and animal feedingstuffs.
---------------------------------	--

Suitable materials	Aluminium composite film (min. 0,007 mm Aluminium)
---------------------------	--

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
102000001698

5/10

Revision Date: 24.03.2016

Print Date: 14.11.2017

7.3 Specific end use(s) Refer to the label and/or leaflet.**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Isoxaflutole	141112-29-0	0,6 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0,4 mm
Protective index Class 6
Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
1020000016986/10
Revision Date: 24.03.2016
Print Date: 14.11.2017

Form	water-dispersible granules
Colour	brown
Odour	weak, characteristic
pH	4,0 - 6,0 at 1 % (23 °C) (deionized water)
Flammability (solid, gas)	The product is not highly flammable.
Minimum ignition energy	> 30 - < 100 mJ
Lower explosion limit	60 mg/m ³
Dust explosion class	St1 (weak to moderately explosible)
Bulk density	555 - 625 kg/m ³
Water solubility	dispersible
Partition coefficient: n-octanol/water	Isoxaflutole: log Pow: 2,32 at 20 °C
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity** LD₅₀ (Rat) > 5.000 mg/kg**Acute inhalation toxicity** LC₅₀ (Rat) 5,26 mg/l
Exposure time: 4 h**Acute dermal toxicity** LD₅₀ (Rabbit) > 2.000 mg/kg**Skin irritation** Slight irritant effect - does not require labelling. (Rabbit)**Eye irritation** Slight irritant effect - does not require labelling. (Rabbit)**Sensitisation** Non-sensitizing. (Guinea pig)

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
1020000016987/10
Revision Date: 24.03.2016
Print Date: 14.11.2017

OECD Test Guideline 406, Buehler test

Assessment repeated dose toxicity

Isoxaflutole caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver, Thyroid. The observed effects do not appear to be relevant for humans.

Assessment mutagenicity

Isoxaflutole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Isoxaflutole caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

Isoxaflutole did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Isoxaflutole caused developmental toxicity only at dose levels toxic to the dams. Isoxaflutole caused a delayed ossification of foetuses. The developmental effects seen with Isoxaflutole are related to maternal toxicity.

Further information

The toxicological data refer to a similar formulation.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 65,0 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 5 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) 10,5 mg/l Biomass; Exposure time: 72 h EC50 (Desmodesmus subspicatus (green algae)) > 34,7 mg/l Growth rate; Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) 0,01439 mg/l Exposure time: 9 d The value mentioned relates to the active ingredient isoxaflutole.

12.2 Persistence and degradability

Biodegradability Isoxaflutole:
Not rapidly biodegradable

Koc Isoxaflutole: Koc: 112

12.3 Bioaccumulative potential

Bioaccumulation Isoxaflutole: Bioconcentration factor (BCF) 11
Does not bioaccumulate.

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
1020000016988/10
Revision Date: 24.03.2016
Print Date: 14.11.2017**12.4 Mobility in soil****Mobility in soil** Isoxaflutole: Moderately mobile in soils**12.5 Results of PBT and vPvB assessment****PBT and vPvB assessment** Isoxaflutole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).**12.6 Other adverse effects****Additional ecological information** No other effects to be mentioned.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.**Contaminated packaging** Triple rinse containers.
Do not re-use empty containers.
Not completely emptied packagings should be disposed of as hazardous waste.**Waste key for the unused product** 02 01 08* agrochemical waste containing dangerous substances**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ISOXAFLUTOLE MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ISOXAFLUTOLE MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES



MERLIN WG75 12X500GR BOT UA

Version 7 / EU
102000001698

9/10
Revision Date: 24.03.2016
Print Date: 14.11.2017

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ISOXAFLUTOLE MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances

**MERLIN WG75 12X500GR BOT UA**Version 7 / EU
102000001698**10/10**
Revision Date: 24.03.2016
Print Date: 14.11.2017

EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--