



FIFRA Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN ALABAMA

For the control of Asian Citrus Psyllids in citrus during bloom

Movento® MPC Insecticide

EPA Reg. No. 264-1065

SLN. No. AL210003

THIS LABEL IS VALID UNTIL October 5, 2026 UNLESS OTHERWISE AMENDED, WITHDRAWN, CANCELED, OR SUSPENDED.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

ACTIVE INGREDIENT:

Spirotetramat: cis-3-(2,5-dimethylphenyl)-8-methoxy-2-oxo-1-

azaspiro[4.5]dec-3-en-4-yl-ethyl carbonate..... 14.50%

OTHER INGREDIENTS 85.50%

.....TOTAL: 100.00%

MOVENTO MPC Contains 1.25 pounds spirotetramat
per U.S. gallon (150 grams AI/liter)

DIRECTIONS FOR USE

Apply specified dosage of MOVENTO MPC as needed for control. Treatment must be made when insect populations begin to build and before a damaging population becomes established. Rate selected for use must depend on stage of pest development at application and infestation level of those pests. **MOVENTO MPC must be tank-mixed with a spray adjuvant / additive having spreading and penetrating properties to maximize leaf uptake and systemicity of the active ingredient within treated plants; please contact your local Bayer CropScience representative or PCA for specific recommendations.**

CITRUS FRUITS

Crops of Crop Group 10-10 Including: Australian lime (desert, finger, and round), Brown River finger lime, Calamondin, Citron, Grapefruit, Japanese summer grapefruit, Kumquat, Lemon, Lime, Mediterranean mandarin, Mount White lime, New Guinea wild lime, Orange (sour and sweet), Pummelo, Russell River lime, Satsuma mandarin, Sweet lime, Tachibana orange, Tahiti lime, Tangelo, Tangerine, Tangor, Trifoliate orange, Uniq fruit, including cultivars, varieties and/or hybrids of these commodities.

Pests Controlled	Product Rate	
	(fl oz/A)	(lb ai/A)
Asian citrus psyllid	16.0	0.16

Foliar Application Restrictions:

Pre-Harvest Interval (PHI): **1 day(s)**

Minimum interval between applications: **21 days**

Maximum MOVENTO MPC allowed per calendar year: **32 fl oz/A**

Maximum spirotetramat per calendar year: **0.31 lb ai/A**

Do not apply non-ionic surfactants in tank mix combination with MOVENTO MPG on white grapefruit.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.

For **PRODUCT USE** Information Call **1-866-99BAYER (1-866-992-2937)**.

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

Bayer CropScience, LP
800 N. Lindbergh Blvd.
St. Louis, MO 63167