amended



1/11

### **MOVENTO SC 240**

Version 4 / ZA

102000011328

Revision Date: 30.07.2025

Print Date: 30.07.2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MOVENTO SC 240

Product code (UVP) 06424384

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer (Pty) Ltd.

1st Floor, Waterfall Circle 9 Country Estate Drive

Waterfall City

2090 Midrand, Johannesburg

South Africa

**Telephone** +27 (011) 921 5911 **Telefax** +27 (011) 921 5766

Responsible Department QHSE - Nigel, South Africa

+27 (011) 365 8675 (during business hours only)

1.4 Emergency telephone no.

Emergency telephone no. +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response** 

Hotline (24h)

+1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation. Long-term (chronic) aquatic hazard: Category 2

H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

amended



2/11

# **MOVENTO SC 240**

Version 4 / ZA
102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

### Hazardous components which must be listed on the label:

Spirotetramat







# Signal word: Warning

### **Hazard statements**

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

Spirotetramat: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.2 Mixtures**

#### **Chemical nature**

Suspension concentrate (=flowable concentrate)(SC) Spirotetramat 240 g/l

### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Spirotetramat	203313-25-1		22,4

amended



3/11

**MOVENTO SC 240** 

Version 4 / ZA
102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

Alkylarylpolyglycol ether	104376-75-2	Aquatic Chronic 3, H412	> 1 - < 25
1,2-Benzisothiazol-3(2H)- one	2634-33-5 01-2120761540-60-XXXX	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0,005 - < 0,05
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-on e and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.00015 - < 0.0015
Glycerine	56-81-5 01-2119471987-18-XXXX	Not classified	> 1

#### **Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is

always advisable. There is no specific antidote.

amended



4/11

**MOVENTO SC 240** 

Version 4 / ZA

102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

**Unsuitable** High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of

fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment. Do not breathe spray.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable,

closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

amended



5/11

### **MOVENTO SC 240**

Version 4 / ZA
102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spirotetramat	203313-25-1	1,4 mg/m3		OES BCS*
		(SK-SEN)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

**Respiratory protection** If product is handled while not enclosed, and if contact may occur:

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating.

drinking, smoking or using the toilet.

Material Nitrile rubber
Break through time > 480 min
Glove thickness > 0,4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

**General protective measures** If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

amended



6/11

### **MOVENTO SC 240**

Version 4 / ZA Revision Date: 30.07.2025 102000011328 Print Date: 30.07.2025

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Form suspension

Colourwhite to light beigeOdourweak, characteristicOdour ThresholdNo data available

**pH** 4,0 - 5,0 (100 %) (23 °C)

Melting point/ rangeNo data availableBoiling PointNo data available

Flash point  $> 100 \, ^{\circ}\text{C}$ 

No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature ca. 415 °C

Thermal decomposition No data available

Minimum ignition energyNo data availableSelf-accelaratingNo data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

**Density** ca. 1,07 g/cm³ (20 °C)

Water solubility miscible

Partition coefficient: n-octanol/water

Spirotetramat: log Pow: 2,5(pH 7)

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableSurface tension44 mN/m (25 °C)

Determined in the undiluted form.

Oxidizing properties No oxidizing properties

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

amended



7/11

### **MOVENTO SC 240**

Version 4 / ZA

102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of**No hazardous reactions when stored and handled according to

**hazardous reactions** prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

, , ,

10.6 Hazardous decomposition products

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2.000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 3,013 mg/l

Exposure time: 4 h

Irritating to respiratory system.

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 4.000 mg/kg Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye Slig

irritation

Slight irritant effect - does not require labelling. (Rabbit)

**Respiratory or skin** Skin: Sensitising (Guinea pig)

sensitisation OECD Test Guideline 406, Buehler test

# Assessment STOT Specific target organ toxicity – single exposure

Spirotetramat: May cause respiratory irritation.

### Assessment STOT Specific target organ toxicity - repeated exposure

Spirotetramat did not cause specific target organ toxicity in experimental animal studies.

### **Assessment mutagenicity**

Spirotetramat was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Spirotetramat was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Spirotetramat caused male reproductive toxicity in the presence of general toxicity in the rat at very high

amended



8/11

**MOVENTO SC 240** 

Version 4 / ZA
102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

experimental dose levels. There were no effects on male fertility in mice and dogs. The reproductive toxicity seen with Spirotetramat is due to an overwhelmed elimination capacity at high doses. The high dose levels needed for this effect cannot be achieved even in a worst case exposure scenario.

### Assessment developmental toxicity

Spirotetramat caused developmental toxicity only at dose levels toxic to the dams. Spirotetramat caused a delayed foetal growth, an increased incidence of variations.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 7,75 mg/l

Exposure time: 96 h

**Toxicity to aquatic** EC50 (Daphnia magna (Water flea)) 144 mg/l

invertebrates Exposure time: 48 h

Chronic toxicity to aquatic

invertebrates

EC50 (Chironomus riparius (non-biting midge)): 0,46 mg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient spirotetramat.

NOEC (Chironomus riparius (non-biting midge)): 0,1 mg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient spirotetramat.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 13,4 mg/l

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

**Biodegradability** Spirotetramat:

Not rapidly biodegradable

Koc Spirotetramat: Koc: 289

12.3 Bioaccumulative potential

**Bioaccumulation** Spirotetramat:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Spirotetramat: criterion of mobility not fulfilled

12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Spirotetramat: This substance is not considered to be persistent,

amended



9/11

### **MOVENTO SC 240**

Version 4/ZA Revision Date: 30.07.2025 102000011328 Print Date: 30.07.2025

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS** 

13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

> consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous

waste.

**SECTION 14: TRANSPORT INFORMATION** 

**SANS 10231** 

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID.

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9 14.4 Packaging Group Ш YES

14.5 Environm, Hazardous Mark

**IMDG** 

3082 14.1 UN number

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 9 14.4 Packaging Group Ш 14.5 Marine pollutant YES

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROTETRAMAT SOLUTION)

14.3 Transport hazard class(es) 14.4 Packaging Group Ш 14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

amended



10/11

### **MOVENTO SC 240**

Version 4 / ZA
102000011328

Revision Date: 30.07.2025
Print Date: 30.07.2025

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

#### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Further information**

WHO-classification: III (Slightly hazardous)

### **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

**Inland Waterways** 

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level



# **MOVENTO SC 240**

11/11 Version 4/ZA Revision Date: 30.07.2025 102000011328 Print Date: 30.07.2025

**OECD** Organization for Economic Co-operation and Development

Regulations concerning the International Carriage of Dangerous Goods by Rail RID

TWA Time weighted average

**United Nations** UN

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Reviewed and updated for general editorial purposes.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.