

### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA
102000008393

Revision Date: 12/16/2024
Print Date: 12/17/2024

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name OBERON® 2 SC INSECTICIDE/MITICIDE

Product code (UVP) 06274919

**SDS Number** 102000008393

**EPA Registration No.** 264-719

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide, Miticide

**Restrictions on use**See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

#### **SECTION 2: HAZARDS IDENTIFICATION**

### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

#### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified. No health hazards not otherwise classified.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

Hazardous Component Name CAS-No. Concentration % by weight

Spiromesifen 283594-90-1 23.1

### **SECTION 4: FIRST AID MEASURES**

**Description of first aid measures** 

**General advice** When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

#### **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 Print Date: 12/17/2024

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

**Flash point** >93.4 °C / 200.12 °F

Auto-ignition temperature 405 °C / 761 °F

Lower explosion limit

Upper explosion limit

No data available

No data available

No data available

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

**Advice on safe handling**Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Spiromesifen	283594-90-1	0.92 mg/m3		OES BCS*
		(SK-SEN)		

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

Form suspension

Colourwhite to light greyOdourmusty, earthyOdour ThresholdNo data available

**pH** 3.5 - 4.5 (100 %) (23 °C)

Melting point/ range-18 °C / 0.4- °FBoiling PointNo data availableFlash point> 93.4 °C / 200.12 °FFlammabilityNo data availableAuto-ignition temperature405 °C / 761 °F

No data available

No data available

Minimum ignition energy No data available

Self-accelarating

Thermal decomposition

decomposition temperature

(SADT)

Upper explosion limit

Lower explosion limit

No data available

Vapour pressure

No data available

Evaporation rate

Relative vapour density

Relative density

No data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Spiromesifen: log Pow: 4.55 (20 °C)

Viscosity, dynamic 600 - 1,100 cps (25 °C)

Viscosity, kinematic

Oxidizing properties

No data available

Explosivity

No data available

**Other information** Further safety related physical-chemical data are not known.



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Ingestion, Inhalation, Eye contact, Skin contact

**Immediate Effects** 

Eve May cause temporary eye irritation. Skin May be harmful in contact with skin.

Ingestion May be harmful if swallowed. Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,500 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.8 mg/lExposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

LD50 (Rat) > 4,000 mg/kgAcute dermal toxicity Skin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye No eye irritation (Rabbit)

irritation

Skin: Non-sensitizing. (Guinea pig)

Respiratory or skin

sensitisation

Assessment STOT Specific target organ toxicity - single exposure

Spiromesifen: Based on available data, the classification criteria are not met.



# **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 Print Date: 12/17/2024

### Assessment STOT Specific target organ toxicity - repeated exposure

Spiromesifen did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Spiromesifen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Spiromesifen was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH** 

None.

**NTP** 

None.

**IARC** 

None.

### Assessment toxicity to reproduction

Spiromesifen caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Spiromesifen is related to parental toxicity.

#### Assessment developmental toxicity

Spiromesifen caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Spiromesifen are related to maternal toxicity.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0155 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient spiromesifen.

Chronic toxicity to fish Oncorhynchus mykiss (rainbow trout)

NOEC: 4.73 µg/l Exposure time: 97 d

The value mentioned relates to the active ingredient spiromesifen.

**Toxicity to aquatic** EC50 (Daphnia magna (Water flea)) > 0.0923 mg/l

**invertebrates** Exposure time: 48 h

The value mentioned relates to the active ingredient spiromesifen.



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 Print Date: 12/17/2024

Chronic toxicity to aquatic

NOEC (Daphnia magna (Water flea)): 0.25 μg/l

invertebrates

The value mentioned relates to the active ingredient spiromesifen.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) > 0.094 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient spiromesifen.

**Biodegradability** Spiromesifen:

Not rapidly biodegradable

**Koc** Spiromesifen: Koc: 30900

**Bioaccumulation** Spiromesifen: Bioconcentration factor (BCF) 545

Exposure time: 21 d

Does not bioaccumulate.

**Mobility in soil** Spiromesifen: Immobile in soil

Results of PBT and vPvB assessment

**PBT and vPvB assessment** Spiromesifen: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

**Contaminated packaging** Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

**RCRA Information** Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES



### **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROMESIFEN SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROMESIFEN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES O/T POISON

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

**POISON** 

#### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 264-719

**US Federal Regulations** 

**TSCA list** 

Water 7732-18-5 Glycerine 56-81-5 POLY(ARYLALKYL)PHENOL- 70559-25-0

POLYETHYLENGLYKOLET

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

### **US States Regulatory Reporting**

CA Prop65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**US State Right-To-Know Ingredients** 

Glycerine 56-81-5 MN, RI

Environmental CERCLA



10/11

# **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

#### **EPA/FIFRA Information:**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if swallowed or absorbed through skin.

#### **SECTION 16: OTHER INFORMATION**

# Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

#### NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

### HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

<sup>\* =</sup> chronic health hazard



# **OBERON® 2 SC INSECTICIDE/MITICIDE**

Version 4.0 / USA Revision Date: 12/16/2024 102000008393 Print Date: 12/17/2024

**Reason for Revision:** The following sections have been revised: Section 11: Toxicological Information. Section 12. Ecological information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

**Revision Date: 12/16/2024** 

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.