



Bayer CropScience

Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

GROUP

3

FUNGICIDE

PROLINE® 480 SC Fungicide

EPA Reg. No. 264-825

**For Suppression of Fusarium and
Gibberella Ear Rots on Field Corn, Field
Corn Grown for Seed and Popcorn.**

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF ARKANSAS, ILLINOIS, INDIANA, IOWA, KENTUCKY, LOUISIANA, MARYLAND, MICHIGAN, MISSISSIPPI, NORTH DAKOTA, OHIO, PENNSYLVANIA AND VIRGINIA

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

CROP	DISEASE SUPPRESSED	RATE (fl. oz/acre)	APPLICATION TIMING
Corn (field corn, field corn grown for seed and popcorn)	Fusarium (<i>Fusarium spp.</i>) Gibberella ear rots (<i>Gibberella spp.</i>)	5.7	For optimum suppression of Fusarium and Gibberella ear rots, apply PROLINE 480 SC Fungicide from R1 (initial silk emergence) to the R2 (brown silk) corn growth stages. PROLINE 480 SC Fungicide will reduce both disease symptoms and levels of mycotoxin in the grain.

Notes and Restrictions: PROLINE® 480 SC Fungicide may be applied by either ground, aerial or chemigation application equipment. For aerial applications, apply PROLINE® 480 SC Fungicide using a minimum of 3 gpa spray solution.

Application of PROLINE® 480 SC Fungicide is not recommended at times when corn is under severe environmental stress conditions.

Do not apply more than 22.8 fl oz. per acre of PROLINE® 480 SC fungicide per acre per crop. For field corn, field corn grown for seed and popcorn, do not apply within 14 days of harvest for grain and fodder. Forage may be harvested the same day of application.

Use of this product according to this bulletin has not been reviewed or endorsed by the State of Indiana.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information, Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).