amended



1/11

### PROSPER EC500

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PROSPER EC500

Product code (UVP) 06280714

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Fungicide

**Restrictions on use** See product label for restrictions.

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer (Pty) Ltd.

1st Floor, Waterfall Circle 9 Country Estate Drive

Waterfall City

2090 Midrand, Johannesburg

South Africa

**Telephone** +27 (011) 921 5911 **Telefax** +27 (011) 921 5766

Responsible Department QHSE - Nigel, South Africa

+27 (011) 365 8675 (during business hours only)

1.4 Emergency telephone no.

**Emergency telephone no.** +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response** 

Hotline (24h)

+1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

#### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H302 Harmful if swallowed.

Acute toxicity: Category 4

H332 Harmful if inhaled.

Skin irritation: Category 2

H315 Causes skin irritation.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

amended



2/11

### **PROSPER EC500**

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Eyes) through prolonged or repeated exposure.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

#### Hazardous components which must be listed on the label:

- Spiroxamine
- Benzyl alcohol
- Dodecylbenzenesulphonic acid, compound with 2-aminoethanol (1:1)









### Signal word: Danger Hazard statements

H302 + H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Eyes) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P338 present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Spiroxamine: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f)

or Commission Delegated regulation (EU) 2017/2100 or Commission

amended



3/11

### PROSPER EC500

Version 4 / ZA Revision Date: 30.07.2025 102000007367 Print Date: 30.07.2025

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

3.2 Mixtures

#### **Chemical nature**

Emulsifiable concentrate (EC) Spiroxamine 500 g/l

### **Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Spiroxamine	118134-30-8	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT RE 2, H373 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	49,80
Benzyl alcohol	100-51-6 01-2119492630-38-XXXX	Acute Tox. 4, H332 Acute Tox. 4, H302 Eye Irrit. 2, H319	> 25
POLY(ARYLALKYL)PHE NOL-POLYETHYLENGLY KOLET	70559-25-0	Aquatic Chronic 3, H412	< 20
Benzenesulfonic acid, 4-C10-13-sec-alkylderivs., compds. with ethanolamine	1962138-75-5 01-2119905842-39-XXXX	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	< 25,00

### **Further information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

amended



4/11

PROSPER EC500

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is

always advisable. There is no specific antidote.

### **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

**Unsuitable** High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of

fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

**6.2 Environmental** 

precautions

Do not allow to get into surface water, drains and ground water.

amended



5/11

**PROSPER EC500** 

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Keep in suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spiroxamine	118134-30-8	0,6 mg/m3		OES BCS*
		(SK-SEN)		

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

**Respiratory protection** If product is handled while not enclosed, and if contact may occur:

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves.

Also take into consideration the specific local conditions under which

amended



PROSPER EC500

6/11 Version 4/ZA Revision Date: 30.07.2025 102000007367 Print Date: 30.07.2025

the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0.4 mmProtective index Class 6

Protective gloves complying with EN Directive

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

Wear standard coveralls and Category 3 Type 4 suit. Skin and body protection

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Liquid, clear to slightly turbid **Form** 

Colour yellow to brown

Odour aromatic

**Odour Threshold** No data available

9,4 (ca. 1 %) (23 °C) (deionized water) pН

Melting point/ range No data available **Boiling Point** No data available

108 °C Flash point

**Flammability** No data available

265 °C **Auto-ignition temperature** 

Thermal decomposition No data available

The product is not self-ignitable. Ignition temperature

Minimum ignition energy No data available Self-accelarating No data available

decomposition temperature

(SADT)

amended



7/11

PROSPER EC500

 Version 4 / ZA
 Revision Date: 30.07.2025

 102000007367
 Print Date: 30.07.2025

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

**Density** ca. 1,00 g/cm<sup>3</sup> (20 °C)

Water solubility emulsifiable

Partition coefficient:

n-octanol/water

Spiroxamine: log Pow: 2,8 - 3,0 (20 °C) (pH 7)

Viscosity, dynamic No data available
Viscosity, kinematic No data available

Oxidizing properties No oxidizing properties

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of**No hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 500 - < 1.000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) 2,323 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

amended



8/11

### PROSPER EC500

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2.000 mg/kg

Test conducted with a similar formulation.

**Skin corrosion/irritation** Irritating to skin. (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Risk of serious damage to eyes. (Rabbit) Test conducted with a similar formulation.

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test

Skin: Sensitising (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity - single exposure

Spiroxamine: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity - repeated exposure

Spiroxamine caused specific target organ toxicity in experimental animal studies in dogs in the following organ(s): Eyes.

### **Assessment mutagenicity**

Spiroxamine was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Spiroxamine was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Spiroxamine caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Spiroxamine is related to parental toxicity.

### Assessment developmental toxicity

Spiroxamine caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Spiroxamine are related to maternal toxicity.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 11,5 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

amended



9/11

PROSPER EC500

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 10,3 mg/l

invertebrates

Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants

EC50 (Desmodesmus subspicatus (green algae)) 0,029 mg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

12.2 Persistence and degradability

**Biodegradability** Spiroxamine:

Not rapidly biodegradable

**Koc** Spiroxamine: Koc: 2415

12.3 Bioaccumulative potential

**Bioaccumulation** Spiroxamine: Bioconcentration factor (BCF) 87

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Spiroxamine: criterion of mobility not fulfilled

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Spiroxamine: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

**Product** In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging 
Not completely emptied packagings should be disposed of as hazardous

waste.

### **SECTION 14: TRANSPORT INFORMATION**

**SANS 10231** 

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

14.3 Transport hazard class(es)

amended



10/11

### **PROSPER EC500**

Version 4 / ZA

102000007367

Revision Date: 30.07.2025
Print Date: 30.07.2025

14.4 Packaging Group14.5 Environm. Hazardous MarkYES

**IMDG** 

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

14.3 Transport hazard class(es)14.4 Packaging Group14.5 Marine pollutantYES

IATA

14.1 UN number **3082** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Further information

WHO-classification: II (Moderately hazardous)

### **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

11000	Harris I'm all and
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

amended

**IC**x



PROSPER EC500

11/11 Version 4/ZA Revision Date: 30.07.2025 102000007367 Print Date: 30.07.2025

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

European Agreement concerning the International Carriage of Dangerous Goods by ADR

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

**EINECS** European inventory of existing commercial substances

**ELINCS** European list of notified chemical substances

European Standard ΕN **European Union** EU

IATA International Air Transport Association

**IBC** International Code for the Construction and Equipment of Ships Carrying Dangerous

> Chemicals in Bulk (IBC Code) Inhibition concentration to x %

International Maritime Dangerous Goods **IMDG** 

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships MARPOL

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

Organization for Economic Co-operation and Development OECD

Regulations concerning the International Carriage of Dangerous Goods by Rail RID

TWA Time weighted average

UN **United Nations** 

World health organisation WHO

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.