



SOLIGOR EC425 4X5L BOT UA

Version 4 /
102000017046

1/12
Revision Date: 08.08.2017
Print Date: 14.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SOLIGOR EC425 4X5L BOT UA
Product code (UVP) 79007353

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany
Telefax +49(0)2173-38-7394
Responsible Department Substance Classification & Registration
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4

H302 Harmful if swallowed.

H332 Harmful if inhaled.

Skin sensitisation: Category 1

H317 May cause an allergic skin reaction.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Specific target organ toxicity - single exposure: Category 3

H335 May cause respiratory irritation.

Reproductive toxicity: Category 2

H361d Suspected of damaging the unborn child.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Eyes) through prolonged or repeated exposure.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
1020000170462/12
Revision Date: 08.08.2017
Print Date: 14.11.2017**2.2 Label elements**

|| Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

|| Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Prothioconazole
- Spiroxamine
- Tebuconazole
- N,N-Dimethyl decanamide



|| Signal word: Danger

Hazard statements

|| H302 + H332 Harmful if swallowed or if inhaled.
 || H318 Causes serious eye damage.
 || H317 May cause an allergic skin reaction.
 || H335 May cause respiratory irritation.
 || H361d Suspected of damaging the unborn child.
 || H373 May cause damage to organs (Eyes) through prolonged or repeated exposure.
 || H410 Very toxic to aquatic life with long lasting effects.
 || EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

|| P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 || P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 || P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 || P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Emulsifiable concentrate (EC)
 Prothioconazole 53 g/l, Spiroxamine 224 g/l, Tebuconazole 148 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
102000017046

3/12

Revision Date: 08.08.2017

Print Date: 14.11.2017

Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	5,41
Tebuconazole	107534-96-3 403-640-2	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	15,1
Spiroxamine	118134-30-8	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT RE 2, H373 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	22,86
N,N-Dimethyl decanamide	14433-76-2 238-405-1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412	>= 25

Further information

Prothioconazole	178928-70-6	M-Factor: 10 (acute)
		M-Factor: 10 (chronic)
Tebuconazole	107534-96-3	M-Factor: 1 (acute), 10 (chronic)
Spiroxamine	118134-30-8	M-Factor: 100 (acute), 100 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed**Symptoms** No symptoms known or expected.**4.3 Indication of any immediate medical attention and special treatment needed**



SOLIGOR EC425 4X5L BOT UA

Version 4 /
102000017046

4/12
Revision Date: 08.08.2017
Print Date: 14.11.2017

Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
-----------------	--

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NO _x), Sulphur oxides
--	--

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
--	--

Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
--------------------------------	---

Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly
-------------------------	---

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
1020000170465/12
Revision Date: 08.08.2017
Print Date: 14.11.2017

before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1,4 mg/m ³ (SK-ABS)		OES BCS*
Tebuconazole	107534-96-3	0,2 mg/m ³ (SK-ABS)		OES BCS*
Spiroxamine	118134-30-8	0,6 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection If product is handled while not enclosed, and if contact may occur: Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
102000017046

6/12

Revision Date: 08.08.2017

Print Date: 14.11.2017

374.

Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
General protective measures	If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	Liquid, clear to slightly turbid
Colour	tan
Odour	aromatic
pH	6,0 - 9,0 at 1 % (23 °C) (deionized water)
Flash point	144,5 °C
Ignition temperature	320 °C
Density	ca. 0,98 g/cm ³ at 20 °C
Partition coefficient: n-octanol/water	Prothioconazole: log Pow: 3,82 at 20 °C Tebuconazole: log Pow: 3,7 Spiroxamine: log Pow: 2,8 - 3,0 at 20 °C at pH 7 N,N-Dimethyldecanamide: log Pow: 2,46
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
102000017046

7/12

Revision Date: 08.08.2017
Print Date: 14.11.2017

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute oral toxicity	LD50 (Rat) 2.000 mg/kg
Acute inhalation toxicity	LC50 (Rat) 2,528 mg/l Exposure time: 4 h
Acute dermal toxicity	LD50 (Rat) > 2.000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	Severe eye irritation. (Rabbit)
Sensitisation	Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Prothioconazole: Based on available data, the classification criteria are not met.

Tebuconazole: Based on available data, the classification criteria are not met.

Spiroxamine: Based on available data, the classification criteria are not met.

N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity – repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Spiroxamine caused specific target organ toxicity in experimental animal studies in dogs in the following organ(s): Eyes.

N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Spiroxamine was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Spiroxamine was not carcinogenic in lifetime feeding studies in rats and mice.

N,N-Dimethyldecanamide is not considered carcinogenic.

Assessment toxicity to reproduction

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
1020000170468/12
Revision Date: 08.08.2017
Print Date: 14.11.2017

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Spiroxamine caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Spiroxamine is related to parental toxicity.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Spiroxamine caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Spiroxamine are related to maternal toxicity.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Irritating to respiratory system.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 1,83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 7,13 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient spiroxamine.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4,4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 1,3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

EC50 (Daphnia magna (Water flea)) 2,79 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient tebuconazole.

EC50 (Daphnia magna (Water flea)) 3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient spiroxamine.

Chronic toxicity to aquatic

NOEC (Daphnia (water flea)): 0,01 mg/l

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
102000017046

9/12

Revision Date: 08.08.2017

Print Date: 14.11.2017

invertebrates Exposure time: 21 d
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0,127 mg/l
Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability Not applicable for this mixture.

Biodegradability Prothioconazole:
Not rapidly biodegradable
Tebuconazole:
Not rapidly biodegradable
Spiroxamine:
Not rapidly biodegradable
N,N-Dimethyldecanamide:
rapidly biodegradable

Koc Prothioconazole: Koc: 1765; log Koc: < 3
Tebuconazole: Koc: 769
Spiroxamine: Koc: 2415

12.3 Bioaccumulative potential

Bioaccumulation Not applicable for this mixture.

Bioaccumulation Prothioconazole: Bioconcentration factor (BCF) 19
Does not bioaccumulate.
Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.
Spiroxamine: Bioconcentration factor (BCF) 87
Does not bioaccumulate.
N,N-Dimethyldecanamide:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Not applicable for this mixture.

Mobility in soil Prothioconazole: Slightly mobile in soils
Tebuconazole: Slightly mobile in soils
Spiroxamine: Slightly mobile in soils
N,N-Dimethyldecanamide: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Not relevant as no chemical safety report is necessary.

PBT and vPvB assessment Prothioconazole: This substance is not considered to be very persistent and very bioaccumulative (vPvB). This substance is not considered to be persistent, bioaccumulative and toxic (PBT).
Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Spiroxamine: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
102000017046**10/12**Revision Date: 08.08.2017
Print Date: 14.11.2017**12.6 Other adverse effects****Additional ecological information** No other effects to be mentioned.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product **02 01 08*** agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROXAMINE SOLUTION)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Environm. Hazardous Mark YES

Hazard no. 90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROXAMINE SOLUTION)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SPIROXAMINE SOLUTION)

14.3 Transport hazard class(es) 9

14.4 Packing group III

14.5 Environm. Hazardous Mark YES



SOLIGOR EC425 4X5L BOT UA

Version 4 /
102000017046

11/12

Revision Date: 08.08.2017
Print Date: 14.11.2017

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)

**SOLIGOR EC425 4X5L BOT UA**Version 4 /
102000017046**12/12**
Revision Date: 08.08.2017
Print Date: 14.11.2017

ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--