



SIVANTO[®]

prime

Sivanto[®] Prime Insecticide

Group 4D Insecticide for Grapes

Sivanto[®] Prime helps preserve the overall health and value of your crop. Sivanto[®] Prime not only targets key grape pests, but is also a great fit for Integrated Pest Management (IPM) programs, with its flexible application timing and minimal impact on beneficial insects. Sivanto[®] Prime is registered on a broad range of horticultural crops and most broadacre crops, which allows for inclusive and flexible crop rotation programs.

/// SIVANTO[®] PRIME QUICK FACTS

- **Active Ingredient:** Flupyradifurone
- **IRAC:** Group 4D Insecticide
- **Signal Word:** Caution
- **REI:** 12 hours
- **PHI:** 1–30 days, depending on application method
- **Use Rate:** 7 to 28 fl. oz./A

/// BENEFITS

- **Precise Targeting and Sustainability**
Sivanto[®] Prime insecticide precisely targets key, damaging sucking pests. It quickly puts a stop to feeding activity alongside long-lasting residual activity.
- **Strong Integrated Pest Management (IPM) Fit**
Sivanto[®] Prime offers flexible application method and timing and is compatible with a broad range of beneficial insects, making it a good fit for IPM programs.
- **Unique Chemistry**
Sivanto[®] Prime was the first insecticide in the Insecticide Resistance Action Committee (IRAC) subgroup 4D and has shown excellent control of neonicotinoid-resistant aphids and whiteflies.


Pests Controlled	Foliar Use Rate	Soil Use Rate
Leafhoppers Sharpshooters	7.0 - 14.0 fl. oz./A	21.0 - 28.0 fl. oz./A
Vine mealybug	12.0 - 14.0 fl. oz./A	



SIVANTO[®]


prime

Control of Vine Mealybug on Grape Leaves



Arlene Kurokawa, Bayer CropScience, Fresno, CA.
Foliar application A on 6/14/2011 and B on 7/12/2011.
Treatments contained 0.25% v/v MSO.

Control of Vine Mealybug on Grape Bunches



Arlene Kurokawa, Bayer CropScience, Fresno, CA.
Foliar application A on 6/14/2011 and B on 7/12/2011.
Treatments contained 0.25% v/v MSO.

IMPORTANT: This bulletin is not intended to provide adequate information for use of these products. Read the label before using these products. Observe all label directions and precautions while using these products.

For more information, visit www.CropScience.Bayer.us.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Performance may vary, from location to location and from year to year, as local growing, soil and environmental conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on their growing environment. The recommendations in this material are based upon trial observations and feedback received from a limited number of growers and growing environments. These recommendations should be considered as one reference point and should not be substituted for the professional opinion of agronomists, entomologists or other relevant experts evaluating specific conditions. Not all products are registered for use in all states and may be subject to use restrictions. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your local dealer or representative for the product registration status in your state. Bayer, Bayer Cross and Sivanto® are registered trademarks of Bayer Group. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2025 Bayer Group. All rights reserved.

SIVANTO
prime

