



## **SIVANTO PRIME SL200**

Version 4 / ZA  
102000021884

1/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1 Product identifier**

**Trade name** SIVANTO PRIME SL200  
**Product code (UVP)** 79718845, 86300257

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

#### **1.3 Details of the supplier of the safety data sheet**

**Supplier** Bayer (Pty) Ltd.  
1st Floor, Waterfall Circle  
9 Country Estate Drive  
Waterfall City  
2090 Midrand, Johannesburg  
South Africa

**Telephone** +27 (011) 921 5911

**Telefax** +27 (011) 921 5766

**Responsible Department** QHSE - Nigel, South Africa  
+27 (011) 365 8675 (during business hours only)

#### **1.4 Emergency telephone no.**

**Emergency telephone no.** +27 (0861) 555 777 (Western Cape Poisons Helpline)

**Global Incident Response Hotline (24h)** +1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture**

**Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Eye irritation: Category 2  
H319 Causes serious eye irritation.

Specific target organ toxicity - repeated exposure: Category 2  
H373 May cause damage to organs (muscle) through prolonged or repeated exposure.

Long-term (chronic) aquatic hazard: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### **2.2 Label elements**

**Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and**



## SIVANTO PRIME SL200

Version 4 / ZA  
102000021884

2/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

### packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

### Hazardous components which must be listed on the label:

- Flupyradifurone



**Signal word:** Warning

### Hazard statements

H332	Harmful if inhaled.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs (muscle) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

### Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No additional hazards known beside those mentioned.

Flupyradifurone: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Soluble concentrate (SL)  
Flupyradifurone 200 g/l

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008



## SIVANTO PRIME SL200

Version 4 / ZA  
102000021884

3/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Flupyradifurone	951659-40-8	Acute Tox. 4, H302 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	17,1
Propylene carbonate	108-32-7 01-2119537232-48-XXXX		> 10
Oxirane, methyl-, polymer with oxirane, monobutyl ether	9038-95-3	Acute Tox. 3, H331	> 25

### Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	No symptoms known or expected.
-----------------	--------------------------------

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment</b>	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

<b>Suitable</b>	Water spray, Carbon dioxide (CO <sub>2</sub> ), Foam, Sand
<b>Unsuitable</b>	High volume water jet



## **SIVANTO PRIME SL200**

Version 4 / ZA  
102000021884

4/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

<b>5.2 Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released:; Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx)
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, protective equipment and emergency procedures**

<b>Precautions</b>	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

### **6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

<b>6.4 Reference to other sections</b>	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.
--	---

## **SECTION 7: HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

### **7.2 Conditions for safe storage, including any incompatibilities**

<b>Requirements for storage areas and containers</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	HDPE (high density polyethylene) Coex HDPE/EVOH



## SIVANTO PRIME SL200

Version 4 / ZA  
102000021884

5/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Flupyradifurone	951659-40-8	2,2 mg/m <sup>3</sup> (TWA)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Respiratory protection

If product is handled while not enclosed, and if contact may occur:  
Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

#### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

#### Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

#### General protective measures

If product is handled while not enclosed, and if contact may occur:  
Complete suit protecting against chemicals



**SIVANTO PRIME SL200**

Version 4 / ZA  
102000021884

6/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid, slightly turbid
<b>Colour</b>	light yellow to brown or red
<b>Odour</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	5,0 - 7,0 (1 %) (23 °C) (deionized water)
<b>Melting point/ range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	> 100 °C
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	420 °C
<b>Thermal decomposition</b>	No data available
<b>Minimum ignition energy</b>	No data available
<b>Self-accelarating decomposition temperature (SADT)</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	ca. 1,17 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	soluble
<b>Partition coefficient: n-octanol/water</b>	Flupyradifurone: log Pow: 1,2
<b>Viscosity, dynamic</b>	No data available
<b>Viscosity, kinematic</b>	No data available
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.



**SIVANTO PRIME SL200**

Version 4 / ZA  
102000021884

7/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

---

**SECTION 10: STABILITY AND REACTIVITY**

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>10.4 Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>10.5 Incompatible materials</b>	Store only in the original container.
<b>10.6 Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>	LD50 (Rat) > 2.000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) ca. 3,496 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2.000 mg/kg
<b>Skin corrosion/irritation</b>	No skin irritation (Rabbit)
<b>Serious eye damage/eye irritation</b>	Irritating to eyes. (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Flupyradifurone: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Flupyradifurone: May cause damage to organs (muscle) through prolonged or repeated exposure.

**Assessment mutagenicity**

Flupyradifurone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Flupyradifurone was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Flupyradifurone did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Flupyradifurone did not cause developmental toxicity in rats and rabbits.



## SIVANTO PRIME SL200

Version 4 / ZA  
102000021884

8/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Further information

No further toxicological information is available.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 684 mg/l Exposure time: 48 h
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Chironomus riparius (non-biting midge)): 0,0702 mg/l Exposure time: 28 d
<b>Toxicity to aquatic plants</b>	IC50 (Raphidocelis subcapitata (freshwater green alga)) > 250 mg/l Growth rate; Exposure time: 72 h

### 12.2 Persistence and degradability

**Biodegradability** Flupyradifurone:  
Not rapidly biodegradable

**Koc** Flupyradifurone: Koc: 93

### 12.3 Bioaccumulative potential

**Bioaccumulation** Flupyradifurone:  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Flupyradifurone: very mobile in soil

### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Flupyradifurone: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

### 12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects





## **SIVANTO PRIME SL200**

Version 4 / ZA  
102000021884

9/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

### **Additional ecological information**

No other effects to be mentioned.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
<b>Contaminated packaging</b>	Not completely emptied packagings should be disposed of as hazardous waste.

## **SECTION 14: TRANSPORT INFORMATION**

### **SANS 10231**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUPYRADIFURONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

### **IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUPYRADIFURONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

### **IATA**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUPYRADIFURONE SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

### **14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

### **14.7 Transport in bulk according to IMO instruments**

No transport in bulk according to the IBC Code.

## **SECTION 15: REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** **Further information**



## **SIVANTO PRIME SL200**

Version 4 / ZA  
102000021884

10/10

Revision Date: 30.07.2025  
Print Date: 30.07.2025

WHO-classification: III (Slightly hazardous)

### **SECTION 16: OTHER INFORMATION**

#### **Text of the hazard statements mentioned in Section 3**

H302	Harmful if swallowed.
H331	Toxic if inhaled.
H373	May cause damage to organs (muscle) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--