

Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2 Revision Date: 06/21/2010

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name THIRAM 50WP DYED 102000012743

EPA Registration No. 264-942

Bayer CropScience 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day) For Product Information call: 1-866-99BAYER (1-866-992-2937)

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Causes eye irritation. Causes skin irritation. Harmful if swallowed,

inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing.

Avoid breathing dust or spray mist.

Physical State solid

Odor very faint

Appearance off-white to pink

Exposure routes Inhalation, Skin Absorption, Ingestion, Eye contact

Immediate Effects

Eye Causes eye irritation. Do not get in eyes.

Skin Causes skin irritation. Prolonged or frequently repeated skin contact may cause

allergic reactions in some individuals. Harmful if absorbed through skin. Do not

get in eyes, on skin, or on clothing.

Ingestion Use of alcoholic beverages may enhance toxic effects. Harmful if swallowed. Do

not take internally.

Inhalation Inhalation of dust may cause mucous membrane and respiratory irritation.

Harmful if inhaled. Avoid breathing dust or spray mist.



Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

Chronic or Delayed Long-Term

This product is not listed as a carcinogen by ACGIH, NTP, IARC or OSHA. However, it may contain crystalline silica (quartz), a substance which has been listed as a carcinogen by ACGIH, NTP and IARC. Crystalline silica is a naturally-occurring mineral component of many sands and clays. Although the carcinogenic potential of crystalline silica in humans is controversial, it must be considered if it is inhaled under excessive exposure conditions. The respirable portion of the silica that may be contained in this product, however, is small, such that inhalation exposure during anticipated conditions of use is minimal.

Medical Conditions Aggravated by Exposure Individuals with allergic history or pre-existing dermatitis should use extra care in handling this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to overexposure. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.

Potential Environmental Effect

Toxic to fish, birds, and other wildlife.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Thiram	137-26-8	50.00
C.I. Basic Violet 10	81-88-9	1.00
Titanium dioxide	13463-67-7	1.13
Quartz (Silica, Crystalline)	14808-60-7	0.44
Crystalline quartz (respirable)		

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give



Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to physician

Signs and SymptomsMore severe effects if alcohol is consumed.

Ingestion may provoke the following symptoms:

Nausea Vomiting

breathing difficulties

Treatment Treat symptomatically. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

Flash point $> 93.4 \,^{\circ}\text{C} / > 200.1 \,^{\circ}\text{F}$

Fire and Explosion

Hazards

Dangerous gases are evolved in the event of a fire.

Suitable extinguishing

media

Foam, Carbon dioxide (CO2), Dry chemical, Water spray

Fire Fighting Instructions

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter

drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus

and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled

product or contaminated surfaces.

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable

container for disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional advice Use personal protective equipment.

SECTION 7. HANDLING AND STORAGE

Handling procedures Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and local

exhaust ventilation.

Keep away from heat and sources of ignition.



Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross

contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked

storage area.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash

thoroughly and put on clean clothing.

Min/Max Storage Temperatures Recommended minimum transport/storage temperature: -7 °C / 19 °F Recommended maximum transport/storage temperature: 49 °C / 120 °F

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash

PPE separately from other laundry.

Eye/Face Protection Tightly fitting safety goggles

Hand protection Chemical resistant nitrile rubber gloves

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Thiram 137-26-8 ACGIH TWA 1 mg/m3 NIOSH REL 5 mg/m3

NIOSH REL OSHA Z1 PEL OSHA Z1A TWA US CA OEL TWA PEL **ACGIH NIC** TWA **OES BCS*** TWA ACGIH TWA TX ESL ST ESL TX ESL AN ESL

1 ug/m3 0.5 mg/m3

5 mg/m3

5 mg/m3

5 mg/m3

5 mg/m3

10 ug/m3

0.05 mg/m3

0.05 mg/m3



Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

Kaolin	1332-58-7	ACGIH NIOSH NIOSH US CA OEL TX ESL TX ESL TX ESL TX ESL	TWA REL REL TWA PEL ST ESL AN ESL ST ESL AN ESL TWA TWA	1.5 mg/m3 2 mg/m3 5 mg/m3 10 mg/m3 2 mg/m3 20 ug/m3 20 ug/m3 20 ug/m3 10 mg/m3 5 mg/m3
Titanium dioxide	13463-67-7	ACGIH OSHA Z1 OSHA Z1A TX ESL TX ESL	TWA TWA PEL TWA ST ESL AN ESL TWA	10 mg/m3 15 mg/m3 10 mg/m3 50 ug/m3 5 ug/m3 10 mg/m3
Quartz (Silica, Crystalline)	14808-60-7	ACGIH NIOSH	TWA REL	0.025 mg/m3
		OSHA Z1A Z3	TWA TWA	0.1 mg/m3 2.4 millions of particles per cubic foot of air
		Z3 Z3 US CA OEL US CA OEL TX ESL	TWA TWA TWA PEL TWA PEL ST ESL ST ESL AN ESL AN ESL ST ESL AN ESL TWA	0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 0.3 mg/m3 1 ug/m3 0.1 ug/m3 0.1 ug/m3 10 ug/m3 1 ug/m3 0.1 mg/m3

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance off-white to pink

Physical State solid

Odor very faint

Bulk density 20 - 26 lbs/cu.ft.



MSDS Number: 102000012743 MSDS Version 2.2

Material Safety Data Sheet THIRAM 50WP DYED

Water solubility suspensive

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid Heat, flames and sparks.

Incompatibility Acids

Oxidizing agents

Copper

Hazardous Thermal decomposition

Decomposition Products nitrogen oxides (NOx)

Sulphur oxides hydrogen sulfide carbon disulphide

Chemical Stability Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on this product as formulated. The non-acute information pertains to the technical-grade active ingredient.

Acute oral toxicity rat: LD50: > 2,000 mg/kg

Acute dermal toxicity rabbit: LD50: > 2,000 mg/kg

Acute inhalation toxicity rat: LC50: > 2.0 mg/l

Exposure time: 1 h

Skin irritation slight irritation

Eye irritation Moderate eye irritation.

Sensitisation May cause sensitization by skin contact.

Chronic toxicityThiram targeted the liver, blood and urinary system in chronic toxicity studies in

laboratory animals.

Assessment Carcinogenicity

Thiram did not demonstrate any biologically significant evidence of carcinogenic potential in rats and mice. EPA has classified thiram as "not likely to be carcinogenic to humans."

ACGIH

Thiram 137-26-8 Group A4
Titanium dioxide 13463-67-7 Group A4
Quartz (Silica, Crystalline) 14808-60-7 Group A2

NTP



Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

Crystalline quartz (respirable)

IARC

Thiram 137-26-8 Overall evaluation: 3 Thiram 137-26-8 Overall evaluation: 3 C.I. Basic Violet 10 Overall evaluation: 3 81-88-9 Titanium dioxide 13463-67-7 Overall evaluation: 2B Quartz (Silica, Crystalline) 14808-60-7 Overall evaluation: 1

OSHA None.

REPRODUCTION: Thiram was not a reproductive toxicant in multi-generation Reproductive toxicity

reproduction studies in rats.

DEVELOPMENTAL TOXICITY: Thiram is a developmental toxicant.

Neurotoxicity Thiram caused neurotoxic effects (e.g. lethargy, reduced activity) in laboratory

animals.

Mutagenicity Thiram was not genotoxic based on the overall weight of evidence in a battery of

in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental precautions

Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product as specified on the label. Do not allow to get into surface water, drains and ground water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

Ecological Information Exposed treated seed may be hazardous to birds.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.



Material Safety Data Sheet THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

RCRA Information Characterization and proper disposal of this material as a special or hazardous

waste is dependent upon Federal, State and local laws and are the user's

responsibility. RCRA classification may apply.

SECTION 14. TRANSPORT INFORMATION

49CFR

UN-Number 3077 Class 9 Packaging group III

Marine pollutant Marine Pollutant

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.

(THIRAM)

RQ Reportable Quantity is reached with 20 lb of product.

IMDG

UN-Number 3077 Class 9 Packaging group III

Marine pollutant Marine Pollutant

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(THIRAM MIXTURE)

IATA

UN-Number 3077 Class 9 Packaging group III

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(THIRAM MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 264-942

US Federal Regulations

TSCA list

Thiram 137-26-8
C.I. Basic Violet 10 81-88-9
Titanium dioxide 13463-67-7
Quartz (Silica, Crystalline) 14808-60-7



Material Safety Data Sheet

THIRAM 50WP DYED

MSDS Number: 102000012743 MSDS Version 2.2

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Thiram 137-26-8 1.0% C.I. Basic Violet 10 81-88-9 1.0%

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

C.I. Basic Violet 10 81-88-9

Crystalline quartz (respirable)

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Thiram 137-26-8 CA, CT, IL, MN, NJ, RI C.I. Basic Violet 10 81-88-9 CA, NJ, PA

Titanium dioxide 13463-67-7 IL, MN, RI Quartz (Silica, Crystalline) 14808-60-7 IL, MA

Canadian Regulations

Canadian Domestic Substance List

 Thiram
 137-26-8

 C.I. Basic Violet 10
 81-88-9

 Titanium dioxide
 13463-67-7

 Quartz (Silica, Crystalline)
 14808-60-7

Environmental

CERCLA

Thiram 137-26-8 10 lbs

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Thiram 137-26-8
Titanium dioxide 13463-67-7
Quartz (Silica, Crystalline) 14808-60-7

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



MSDS Number: 102000012743 MSDS Version 2.2

Material Safety Data Sheet THIRAM 50WP DYED

Reason to Revise: Updated for general editorial purposes.

Revision Date: 06/21/2010

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.